Sweater and pants

1111-1

Size:	XS	S	M	L	XL
Bust, approx.	83	90	96	102	119 cm
	32.7	35.4	38.8	40.2	46.8 in
Length, approx.	64	64	65	66	67 cm
	25.2	25.2	25.6	26	26.4 in
Sleeve length,	49	50	51	52	52 cm
approx.					
	19.3	19.7	20.1	20.5	20.5 in
Hips, approx.	80	85	90	95	100 cm
	31.5	33.5	35.4	37.4	39.4 in
Leg length,	70	74	78	80	82 cm
approx.					
	27.6	29.1	30.7	31.5	32.3 in

GARNALTERNATIV: Viking Alpaca Silk (50% alpaca, 50% silk), Viking Bjørk (90% cotton, 10% merino wool), 50 g ball

SWEA	TER

Grey, 413:	6	7	7	8	8 balls
Violet, 468:	4	5	5	6	6 balls
PANTS					
Grey, 413:	5	6	6	7	7 balls
Violet,.468:	5	5	6	6	7 balls

Circular needle and double pointed needles size 2 $\frac{1}{2}$ and 3 mm – US 1 or 2 and 2 or 3 – UK/Canadian 13 or 12 and 11 + elastic

Gauge: 25 sts = approx. 10 cm (4 in) over St st using needles size 3 mm. **Check your gauge to ensure success.**

SWEATER

Using needles size 2½ mm and grey yarn, cast on 188-204-220-236-252 sts. Work in rnds 5 cm (2 in) in K1,P1 rib. Change to needles size 3 mm. K 1 rnd, adjusting evenly across the rnd the number of sts to be 208-224-240-256-272 sts. Cont working in rnds in St st and keep rep patt A as charted. Place markers each side, 103-111-119-127-135 sts for front, and 105-113-121-129-137 sts for back. When work measures approx. 41-41-42-43-44 cm (16.1-16.1-16.5-16.9-17.3 in), bind off for armholes each side 10 sts (= 5 sts both sides of the markers). Put work aside, and knit the sleeves


Sleeves


Using needles size 2½ mm and violet yarn, cast on 46-48-48-52-52 sts. Work in rnds approx. 5 cm (2 in) in K1,P1 rib. Change to needles size 3 mm. K 1 rnd, adjusting evenly across the rnd the number to be 72-74-74-76-76 sts. Cont working in St st and as patt as foll: 1st in violet, 0-1-1-2-2 sts in grey, [patt B over 35 sts] 2 times, 0-1-1-2-2 sts in grey, 1 st in violet. Place a marker between 2 violet sts beg and end of the rnd (= mid under arm). Cont working in rnds. Inc 1st both sides of the marker approx. every 4½-4½-4-4-4 cm (1.8-1.8-1.6-1.6-1.6 in) until you have altog. 92-94-96-98-100 sts on the rnd. Inc sts are worked in violet yarn (weave the grey yarn by twisting it with violet in order to avoid long floats). When work measures approx. 49-50-51-52-52 cm (19.3-19.7-20.1-20.5-20.5 in) (or desired length), bind off 10 sts mid under arm (5 sts both sides of the marker). Work same for the other sleeve.

Yoke


Slip all sts on same circular needle size 3 mm, sleeves over the bound-off sts for armholes = 352-372-392-412-432 sts. Place markers at each seam line. Cont working in patt, and beg

raglan-dec every 2^{nd} rnd as foll: work until 2 sts rem before a marker, K2tog, sl1, K1, psso (raglan-dec are worked in violet), rep dec at each seam line. When work measures approx. 46-46-47-48-49 cm (18.1-18.1-18.5-18.9-19.3 in), work patt C mid back (check from patt A that you beg patt C on the correct rnd). Keep rep raglan-dec until 120-124-128-132-136 sts rem on a rnd. Change to needles size $2\frac{1}{2}$ mm. K 1 rnd with grey yarn. Work approx.16 cm (6.3 in) in K1,P1 rib. Bind off in rib. Sew underarm seams, and weave in all ends on WS.





beg here



= IIIIU DACK

PANTS

Beg from waist

Using needles size 2½ mm and grey yarn, cast on 190-202-214-224-234 sts. Work approx. 2 cm (1.2 in) in K1,P1 rib. Change to needles size 3 mm. K 1 rnd, adjusting evenly across the rnd the number of sts to be 202-214-226-238-250 sts. Place markers each side, 101-107-113-119-125 sts for both back and front. Place also markers mid front and back.

Beg from mid back. K17-18-19-20-21 sts, turn and P33-35-37-39-41 sts. Turn, and work each time 17-18-19-20-21 sts more until you reach the sidemarkers. K 1 rnd over all sts, ending on the left side. Cont working in rnds in St st and patt as foll:

<u>XS:</u> 1 st in grey, patt D over 33 sts, patt E over 33 sts, patt F over 33 sts, 2 sts in grey, patt D, patt G over 33 sts, patt F, 1 st in grey.

<u>S:</u> 2 sts in violet, 1 st in grey, patt D over 33 sts, 1 st in grey, patt E over 33 sts, 1 st in grey, patt F over 33 sts, 1 st in grey, 4 sts in violet, 1 st in grey, patt D, 1 st in grey, patt G over 33 sts, 1 st in grey, patt F, 1 st in grey, 2 sts in violet.

<u>M:</u> 1 st in grey, patt D over 33 sts, patt E over 45 sts, patt F over 33 sts, 2 sts in grey, patt D, patt G over 45 sts, patt F, 1 st in grey.

<u>L:</u> 1 st in violet, 1 st in grey, patt D over 33 sts, patt E over 49 sts, patt F over 33 sts, 1 st in grey, 2 sts in violet, 1 st in grey, patt D, patt G over 49 sts, patt F, 1 st in grey, 1 st in violet.


<u>XL:</u> 2 sts in grey, 2 sts in violet, 1 st in grey, patt D over 33 sts, patt E over 49 sts, patt F over 33 sts, 1 st in grey, 2 sts in violet, 4 sts in grey, 2 sts in violet, 1 st in grey, patt D, patt G over 49 sts, patt F, 1 st in grey, 2 sts in violet, 2 sts in grey.

When work measures approx. 20-20-21-21-22 cm (7.9-7.9-8.3-8.3-8.7 in) (measured mid front), inc 1st each side of both mid front and back sts. Rep inc every 2^{nd} rnd altog. 10-11-12-12-13 times.


Work legs separately. Work sts from mid front marker to mid back marker using another circular needle = 121-129-137-143-151 sts for each leg. Cont working in rnds and patt as established. Dec 2 sts at the inner seam of the leg, (mid patt G) approx. every 2 ½ cm (1 in) (same for all sizes) until 65-71-75-79-85 sts rem, and leg measures the given length, or desired length. Change to needles size 2 ½ mm. K 1 rnd using violet yarn, and dec 1 st = 64-70-74-78-84 sts. Work approx. 3 cm (1.2 in) in K1,P1 rib. Bind off in rib. Work same for the other leg.

Finishing

Sew (cross sts) elastic on innerside of waistline rib. Weave in all ends on WS.




PATTERN F



XS and S

M



Hoodie 1111-2

Size:	XS	S	M	L	XL
Bust, approx.	85	90	95	100	105 cm
	33.5	35.4	37.4	39.4	41 in
Length, approx.	58	60	60	62	64 cm
	22.8	23.6	23.6	24.4	25.2 in
Sleeve length,	49	50	51	52	52 cm
approx.					
	19.3	19.7	20.1	20.5	20.5 in

ALTERNATIVE YARN: Viking Alpaca Silk (50% alpaca, 50% silk), Viking Bjørk (90% cotton, 10% merino wool), 50 g all

Dark Grey, 415	10	11	12	13	14 balls
White, 400	1	1	1	2	2 balls

Circular needle and double pointed needles size 3 and 3 ½ mm – US 2 or 3 and 4 – UK/Canadian 11 and 10 or 9

Gauge: 25 sts = approx. 10 cm (4 in) over St st using needles size $3\frac{1}{2}$ mm. Check your gauge to ensure success.

SWEATER

Using needles size 3 mm and dark grey yarn, cast on 200-212-224-236-248 sts. Work approx. 2-2-3-3-3 cm (0.8-0.8-1.2-1.2-1.2 in) in K1,P1 rib. Change to needles size 3 ½ mm. K 1 rnd, adjusting evenly across the rnd the number of sts to be 214-226-238-250-262 sts. Place markers each side, 107-113-119-125-131 sts for both back and front. When work measures approx. 37-38-37-38-39 cm (14.6-15-14.6-15-15.4 in), bind off for armholes 16 sts at each side (8 sts both sides of the markers). Put work aside, and knit sleeves.

Sleeves

Using needles size 3 mm and dark grey yarn, cast on 46-48-48-52-52 sts. Work approx. 4 cm (1.6 in) in K1,P1 rib. K1 rnd, adjusting evenly across the rnd the number of sts to be 72-74-74-76-76 sts. Place a marker beg of rnd (= mid under arm). Cont working in rnds in St st. Inc 1 st both sides of the marker approx. every 2 ½-2 ½-2-2-2 cm (1-1-0.8-0.8-0.8 in) until you have altog. 104-110-114-120-124 sts on a rnd. When work measures approx. 49-50-51-52-52 cm (19.3-19.7-20.1-20.5-20.5 in) (or desired length). Bind off 16 sts mid under arm (8 sts both sides of the marker). Put work aside, and work same for the other sleeve.

Yoke (read through before beg)

Slip all sts on same circular needle size 3 ½ mm with sleeves over the bound-off sts for armholes = 358-382-402-426-446 sts. K 1 rnd, adjusting evenly across the rnd the number of sts to be 356-374-402-426-442 sts. Place markers at each seam line. Cont working in rnds in St st, and beg raglan-dec at each 4 seam line as foll: K2togtbl before the marker, K2, K2tog (all raglan-dec sts are worked with dark grey yarn). Rep dec every 2nd rnd altog. 30-32-34-36-38 times. When work measures approx. 4-5-5-5-6 cm (1.6-2-2-2-2.4 in) (measured from armhole), work patt as charted (check from mid st where to beg patt for each piece). When patt is ready, cont working with dark grey yarn. When work measures approx. 53-55-55-56-58 cm (20.9-21.7-21.7-22-22.8 in) (measured from cast-on edge) bind off for neck edge 35-35-37-39-39 mid front sts. Cont working back and forth (cont raglan-dec). Bind off at neck

edge every 2nd row 1x3, 1x2, 1x1st. Bind off when work measures the given length, or as desired.


Neck band

Beg mid back, using needles size 3 mm and dark grey yarn, pick or knit up approx.116-120-130-138-138 sts around neck edge. Work in rnds approx. 3-3-4-4-4 cm (in) in K1,P1 rib. P 1 rnd (= folding edge) and approx. 3-3-4-4-4 cm (in) in St st. Bind off.

Hood (same for all sizes)

Using needles size 3 mm and dark grey yarn, cast on 177 sts. Work back and forth approx. 3 cm (1.2 in) in St st. K 1 row (= WS = folding edge). Work approx. 3 cm (1.2 in) in St st, and cont working in patt as charted. Cont working with dark grey yarn. Dec 1st at each edge of approx, every 4th row altog. 10 times = 156 sts rem. When work measures approx. 27 cm (10.6 in), measured from folding edge, bind off at each edge 4 times 16 sts, and finally 28 rem sts. Fold hood in double, and sew mid back seam (= bound-off sts). Sew hood inside neck and (make adjustment across mid back if needed). Fold front edge in double, and sew on WS. Using dark grey yarn, twist a cord, approx. 150 cm (59 in), and thread into the front edge folder.

Weave in all ends on WS.



Pants 1111-3

Size	XS	S	M	L	XL
Hips	80	85	90	95	100 cm
	31.5	33.5	35.4	37.4	39.4 in
Leg length	70	74	78	80	82 cm
	27.6	29.1	30.7	31.5	32.3 in

ALTERNATIVE YARN: Viking Alpaca Silk (50% alpaca, 50% silk), Viking Bjørk (90% cotton, 10% merino wool), 50 g ball

White, 400	5	6	6	7	8 balls
Grey, 413	5	6	6	7	8 balls

Short and long circular needle size 2 ½ and 3 mm – US 1 or 2 and 2 or 3 – UK/Canadian 13 or 12 and 11 + elastic

Gauge: 25 sts = approx. 10cm (4 in) over St st using needles size 3 mm. **Check your gauge to ensure success.**

PANTS


Beg from waist. Pants are white with grey patt on the front, white patt on the back.


Using needles size $2\frac{1}{2}$ and white yarn, cast on 190-202-212-224-234 sts. Work in rnds approx. 2 cm (0.8 in) in K1,P1 rib.

Change to needles size 3 mm. K 1 rnd, adjusting evenly across the rnd the number of sts to be 202-214-226-238-250 sts. Place markers each side, 101-107-113-119-125 sts both for back and front. Place also markers mid front and back. Beg mid back. K17-18-19-20-21, turn, P33-35-37-39-41. Turn, work17-18-19-20-21 sts after each turning until you reach side markers. K 1 rnd over all sts. Beg from left side marker, and work as foll: 1 st in grey, patt A over 17-20-23-26-29 sts, patt B over 65 sts, patt A over 17-20-23-26-29 sts, 1 st in grey,1 st in white, patt C over 99-105-111-117-123 sts, 1 st in white. When work measures approx. 20-20-21-21-22 cm (7.9-7.9-8.3-8.3-8.7 in) (measured mid front), inc 1 st both sides of mid front and back sts every 2nd rnd altog. 10-11-12-13 times. Work each leg separately. Work sts from mid front to mid back using another circular needle = 121-129-137-143-151 sts for each leg. Cont working in rnds and patt as established. Inner seam: work 1st in grey, 1 st in white (same for the sides). Dec 2 sts at the inner seam (1st each side of the grey and white sts) approx. every 5 cm (2 in), 5 times = 111-119-127-133-141 sts rem. When leg measures approx. 68-72-76-78-80 cm (26.8-28.3-29.9-30.7-31.5 in), change to needles size 2 ½ mm and white yarn. K 1 rnd, adjusting evenly across the rnd the number of sts to be 106-114-120-128-136 sts. Work approx. 2 cm (0.8 in) in K1,P1 rib. Bind off in rib. Work same for the other leg.

Finishing

Sew (cross sts) elastic on inner side of waistline rib. Weave in all ends on WS.





Sweater and pants

1111-4

Size	XS	S	M	L	XL
Bust	84	90	95	101	106 cm
	33.1	35.4	37.4	39.8	41.6 in
Length	63	64	65	66	67 cm
	24.8	25.2	25.6	26	26.4 in
Sleeve length	49	50	51	52	52cm
	19.3	19.7	20.1	20.5	20.5 in
Hips	80	85	90	95	100 cm
	31.5	33.5	35.4	37.4	39.4 in
Leg length	70	74	78	80	82 cm
	27.6	29.1	30.7	31.5	32.3 in

ALTERNATIVE YARN: Viking Alpaca Silk (50% alpaca, 50% silk), Viking Bjørk (90% cotton, 10% merino wool), 50 g ball

SWEATER

Brown, 418	11	12	13	14	15 balls
PANTS Brown, 418	10	11	12	13	14 balls

Circular needle and double pointed needles size 2 ½ and 3mm – US 1 or 2 and 2or 3 – UK/Canadian13 or 12 and 11 + elastic for the pants

Gauge: 25 sts = approx. 10 cm (4 in) over St st using needles size 3 mm. **Check your gauge to ensure success at.**

SWEATER

Using needles size 2½ mm, cast on 188-204-218-232-246 sts. Work in rnds approx. 6 cm (2.4 in) in K1,P1 rib. Change to needles size 3 mm. Work in patt B. Inc evenly across 1st rnd the number of sts to be 210-224-238-252-266 sts. Place markers each side, 106-112-120-126-134 sts for front, and 104-112-118-126-132 sts for back. When work measures approx. 43-43-43-42-41 cm (16.9-16.9-16.9-16.5-16.1 in), bind off 16 sts each side for armholes (= 8 sts both sides of the markers). Finish back and front separately.

Back

Cont working back and forth in patt B. Bind off at each edge every 2^{nd} row 1x3, 1x2, and 1x1 st. When work measures approx. 63-64-65-66-67 cm (24.8-25.2-25.6-26-26.4 in), bind off.

Front

Work and bind off same as for back. When work measures approx. 56-57-57-58-59 cm (22-22.4-22.4-22.8-23.2 in), bind off mid 34-36-38-38-40 sts for neck edge. Finish each side separately. Bind off at neck edge every 2nd row 1x3, 1x2, and 1x1 st. When work measures same as back, bind off. Bind off. Work same for the other side, rev all shaping.

Sleeves

Using needles size $2\frac{1}{2}$ mm, cast on 46-48-48-50-52 sts. Work in rnds approx. 6 cm (2.4 in) in K1,P1 rib. Change to needles size 3 mm. K 2 rnds, adjusting evenly across 1^{st} rnd the number of sts to be 64-66-68-72-76 sts. Cable patt makes the sleeve narrower, and therefore requires more sts than St st. Inc on 2^{nd} rnd 10 more sts over mid topside 24 sts (= patt A). Place a marker beg of rnd = mid under arm. Work in patt as foll, (keep rep until the end): patt B over 20-21-22-24-26 sts (end patt B with K3, check from where to beg patt), patt A over 34 sts, patt B over 20-21-22-24-26 sts (beg with K3). Cont working sts as

established. **Same time**, inc 1 st both sides of the marker approx. every $2\frac{1}{2} - 2\frac{1}{2} - 2 - 2 - 2$ cm (1-1-0.8-0.8-0.8 in) you have 110-114-120-130-140 sts on a rnd, and work measures approx. 49-50-51-52-52 cm (19.3-19.7-20.1-20.5-20.5 in) (inc sts that don't form a complete patt are worked in k). Bind off 16 sts mid under arm (8 sts both sides of the marker). Cont working back and forth, and bind off at each edge every 2^{nd} row 1x3, 1x2 and 1x1 st. K 1 row, dec 10 sts evenly across patt A. Bind off.

Finishing

Sew shoulder seams.


Neck band


Using needles size 2½ mm, pick up 124-128-132-136 sts. Work in rnds 6 rnds in Garter st. Bind off.

Collar

Using needles size 3 mm, cast on 168 sts. Work in rnds in St st. Inc evenly across 3^{rd} rnd number of sts to be 238 sts. Work approx. 22 cm (8.7 in) in patt A as charted. K 1 rnd, dec evenly across the rnd 70 sts = 168 sts rem. Bind off.

Sew collar along neck edge with WS on RS. Fold collar on RS. Sew on sleeves. Weave in all ends on WS.





PANTS

Beg from waist

Using needles size 2½ mm, cast on 176-194-208-222-234 sts. Work approx 2 cm (0.8 in) in K1,P1 rib. Change to needles size 3mm. K 1 rnd, adjusting evenly across the rnd the number of sts to be 192-206-220-234-248 sts. Place markers each side, 96-103-110-117-124 sts for both front and back. Place also markers mid front and back. Beg from mid back. K16-18-19-21-22, turn, P32-35-38-41-44. Turn, and work each time 16-17-18-19-20 sts more until you reach the sidemarkers. K to mid back marker. Cable patt makes the work narrower, so you must inc as foll: K12-16-19-23-26, inc 30 sts evenly across next 72 sts, K24-31-38-45-52, inc 30 sts evenly across next 72 sts, K12-15-19-22-26 (= 192-206-220-234-248 sts). Work as foll: Beg patt C according to the size, and work over 12-16-19-23-26 sts, patt A over 102 sts (=3 cables), patt C over 24-31-38-45-52 sts, patt A over 102 sts, patt C over 12-15-19-22-26 sts. Rep patt A and C as charted.

NOTE! Patt C must be identical for both front and back. Beg patt C for back according to the size after patt A on the right side, <u>NOT FROM BEG OF THE RND.</u>


When work measures approx. 20-20-21-21-22 cm (in) (measured mid front), inc 1 st both sides of mid front and back markers every 2^{nd} rnd altog. 10-11-12-12-13 times.

Work legs separately. Work sts from mid front marker to mid back marker using another cable needle = 146-155-164-171-180 sts.

Cont working in rnds and patt as established. Dec 2sts at the inner seam of the leg (mid patt B) approx. every 2 $\frac{1}{2}$ cm (1 in) until 92-100-106-112-116 sts rem, and leg measures approx. 67-71-75-77-79 cm (26.4-28-29.5-30.3-31.1 in). Change to needles size 2 $\frac{1}{2}$ mm. K 1 rnd, dec 30 sts evenly across patt A. Work approx. 3 cm (in) in K1,P1 rib. Bind off in rib. Work same for the other leg.

Finishing

Sew (cross sts) elastic on innerside of waistline rib. Weave in all ends on WS.



Cardigan and hotpants

1	1	1	1	-5

SIZE	S	M	L	XL
Bust, approx.	88	98	108	117 cm
	34.6	38.6	42.5	46 in
Length, approx.	58	59	60	62 cm
	22.8	23.2	23.6	24.4 in
Sleeve length,	50	51	52	52 cm
approx.				
	19.7	20.1	20.5	20.5 in
Hips, approx.	86	91	96	101 cm
	33.9	35.8	38.8	39.8 in
Leg length,	20	20	20	20 cm
approx.				
	7.9	7.9	7.9	7.9 in

ALTERNATIVE YARN: Viking Alpaca Silk (50% alpaca, 50% silk), Viking Bjørk (90% cotton, 10% merino wool), 50 g ball

CARDIGAN

CHILDIGHI				
White,400:	6	6	7	7 balls
Black, 403:	6	6	6	7 balls
HOTPANTS				
White, 400:	4	4	5	5 balls
Black, 403:	2	2	2	2 balls

Circular needle and double pointed needles size 2 $\frac{1}{2}$ and 3 mm – US 1or 2 and 2 or 3 – UK/Canadian 13 or 12 and 11 + 8 buttons

Gauge: 25 sts = approx. 10 cm (4 in) over St st using needles size 3 mm. **Check your gauge to ensure success.**

CARDIGAN

Using needles size $2\frac{1}{2}$ mm and white yarn, cast on 221-245-269-293 sts. Work back and forth in K1,P1 rib. When rib measures approx. 2 cm (0.8 in), make 1 buttonhole over 3sts at right edge, inside 5 sts (buttonhole: bind off 3 sts., next row: cast on 3 new sts over bound-off sts). When rib measures approx. 5-5-6-6 cm (2-2-2.4-2.4 in), slip first and last 12 sts on holder (= front border sts). Change to needles size 3 mm. K 1 row, adjusting evenly across the row the number of sts to be 217-241-265-289 sts (front border sts are not incl). Cast on 4 new sts to the end of the row. These sts are not incl in the patt (= eventually work will be cut open between these sts). Cont working in rnds in patt A as charted, until work measures approx. 58-59-60-62 cm (22.8-23.2-23.6-24.4 in).

Sleeves

Using needles size $2\frac{1}{2}$ mm and white yarn, cast on 50-52-52-54 sts. Work in rnds approx. 5-5-6-6 cm (2-2-2.4-2.4 in) in K1,P1 rib. Change to needles size 3 mm. K 1 rnd, adjusting evenly across the rnd the number of sts to be 65-69-69-73 sts. Place a marker beg of rnd (= mid under arm). Work patt B as charted, and inc 1 st both sides of the marker approx. every 2-2-1 $\frac{1}{2}$ -1 $\frac{1}{2}$ cm (0.8-0.8-0.6-0.6 in). After patt B, keep rep patt C until work measures approx. 43-44-45-46 cm (16.9-17.3-17.7-18.1 in) (end with 2 rnds in black). Work patt D, and then cont

working in patt E until you have 115-119-125-129 sts on the rnd and work measures approx. 50-51-52-52 cm (19.7-20.1-20.5-20.5 in). Turn inside out, and work 6 rnds in St st. Bind off. **Finishing**

Dampen the pieces from WS. Sew 2 dense zik-zak seams around armholes (measure the size for armholes from the sleeves), and mid front. Clip open between the seams. Sew shoulder seams, 35-37-41-45 sts for each shoulder.

Front borders

Sl left front sts (= without buttonhole) on needles size 2 ½ mm. Cast on 5 new sts (= worked in St st) to the edge facing the front piece. Work in rib until front border measures approx.50-51-51-53 cm (19.7-20.1-20.1-20.9 in). Bind of 5 sts worked in St st, and sl rem sts on holder. Work same for the other front border, but make 8 buttonholes evenly spaced apart (first buttonhole has already been made, and the last one will be made on neck border).

Neck border

Sew a marker thread for front neck edge, approx. 7-7-8-8 cm (2.8-2.8-3.1-3.1 in) below the upper edge. Using needles size 2½ mm and white yarn, pick or knit up sts as foll: beg with RS row from right front, sl front border sts on needles, pick or knit up approx. 31-34-38-40 sts along marker thread, 39-47-51-55 sts across back, 31-34-38-40 sts along left front, and sl front border sts on needles = 125-139-151-159 sts. Work back and forth in K1,P1 rib. When rib measures 3cm 1.2 (in), bind off in rib first and last 12 sts. Cont working in rib with rem sts until neck border measures approx. 6 cm (2.4 in). Bind off in rib. Sew a dense zik-zak seam along neck edge, and cut out extras. **Finishing:** Sew front borders, and sew seam allowances over the seams. Fold neck border in double, and sew on WS. Sew on sleeves, and sew seam allowance over the seam. Sew buttons on left front border. Weave in all ends on WS.

HOTPANTS


Beg from waist

Using needles size 2½ mm and white yarn, cast on 204-214-226-236 sts. Work in rnds approx. 2 cm (0.8 in) in K1,P1 rib. Change to needles size 3 mm. Work 1 rnd in St st, adjusting evenly across the rnd the number of sts to be 216-228-240-252 sts. Place markers each side, 107-113-119-125 sts for front, and 109-115-121-127 sts for back. Place also markers mid front and back. Beg from mid back. K19-20-21-22 sts, turn, P37-39-41-43. Turn, and work each time 18-19-20-21 sts more until you reach the sidemarkers. K 1 rnd over all sts, ending on the left side. Work in patt as charted. When work measures approx. 20-21-21-22 cm (7.9-8.3-8.3-8.7 in) (measured from mid front), inc 1 st both sides of mid front and back markers every 2nd rnd altog.10-11-12-13 times.

Work legs separately. Work sts from mid front marker to mid back marker using another circular needle = 128-136-144-152 sts. Place a marker at the inner seam of the leg. Cont working in rnds in patt as charted. Dec 1 st both sides of the marker approx. every 2 cm (0.8 in) 5 times. Finish the pattern, and change to needles size $2\frac{1}{2}$ mm and white yarn. K 1 rnd. Cont working in K1,P1 rib. When leg measures approx. 20 cm (7.9 in), bind off in rib.

Finishing

Sew (cross sts) elastic on innerside of waistline rib. Weave in ends on WS.



Tunic, sweater and pants

1111-6

TUNIC AND PANTS

			_		
Size	4	6	8	10	12/14 yrs
Chest, approx.	63	68	73	78	83 cm
	24.8	26.8	28.7	30.7	32.7 in
Length, approx.	45	50	55	60	65 cm
	17.7	19.7	21.7	23.6	25.6 in
Sleeve length,	30	34	38	42	46 cm
approx.					
	11.8	13.4	15	16.5	18.1 in
Hips, approx.	65	70	74	77	80 cm
	25.6	27.6	29.1	30.3	31.5 in
Leg length, approx.	50	54	59	64	70 cm
	19.7	21.3	23.2	25.2	27.6 in

SWEATER

Size	4/6	8	10/12	14 yrs
Chest, approx.	70	77	83	89 cm
	27.6	30.3	32.7	35 in
Length, approx.	44	50	56	62 cm
	17.3	19.7	22	24.4 in
Sleeve length, approx.	33	38	43	47 cm
	13	15	16.9	18.5 in

ALTERNATIVE YARN: Viking Alpaca Silk (50% alpaca, 50% silk), Viking Bjørk (90% cotton, 10% merino wool), 50 g ball

Tunic					
Red, 450:	6	7	8	9	10 balls
Pants					
White, 400:	3	3	4	4	5 balls
Red, 450:	3	3	4	4	5 balls
Sweater					
White, 400:		3	4	4	5 balls
Red 450:		3	3	4	4 halls

Circular needle and double pointed needles size 2 $\frac{1}{2}$ and 3 mm – US 1 or 2 and 2 or 3 – UK/Canadian 13 or 12 and 11 + elastic for pants

Gauge: 25 sts = approx. 10 cm (4 in) over St st using needles size 3 mm. **Check your gauge to ensure success.**

TUNIC

Using needles size 2½ mm, cast on 232-252-272-288-308 sts. Work in rnds approx. 3 cm (1.2 in) in K2,P2 rib. Change to needles size 3 mm. Place markers each side, 116-126-136-144-154 sts for both back and front. Beg from right side marker, and work as foll: Beg from right side according to the size, 4 sts in cable patt, *St st over 50-55-60-64-69 sts, 8 sts in cable patt*, rep *- * altog. 3 times, and end with St st over 50-55-60-64-69 sts, and 4 sts in cable patt (= 4th cable panel). Place markers mid each St st panel. Cont working in rnds, sts as established. Dec1 st after each marker approx. every 1 ½ cm (0.6 in) (same for all sizes) altog 19-21-23-24-27 times (= 156-168-180-192-200 sts). When work measures approx. 30 -34-38-42-46 cm (11.8-13.4-15-16.5-18.1 in), bind off for armholes 12 sts each side (6 sts both sides of the markers). Finish back and front separately.

Back

Cont working back and forth in St st and cable patt. Bind off at each edge every 2nd row 1x3, 1x2, and 1x1 st. When work measures approx. 45-50-55-60-65 cm (17.7-19.7-21.7-23.6-

25.6 in), and armhole measures approx. 15-16-17-18-19 cm (5.9-6.3-6.7-7.1-7.5 in), bind off.

Front

Work and bind off same as for back. When work measures approx. 40-45-50-55-60 cm (15.7-17.7-19.7-21.7-23.6 in), bind off for neck edge 20-24-28-32-34 mid sts. Work each side separately. Bind off at neck edge every 2nd row 1x3, 1x2, and 1x1 st. When work measures the same as back, bind off. Work same for the other side, rev all shaping.

Sleeves

Using needles size $2\frac{1}{2}$ mm, cast on 40-44-44-48-48 sts. Work in rnds approx. 4 cm (1.6 in) in K2,P2 rib. Change to needles size.3 mm. K 1 rnd, adjusting evenly across the rnd the number of sts to be 58-60-62-64-68 sts. Place a marker beg of rnd (= mid under arm), and work as foll: 25-26-27-28-30 sts in St st, 8 sts in cable patt , 25-26-27-28-30 sts in St st. Inc 1 st both sides of the marker approx. every 3 cm (1.2 in). When work measures approx. 30-34-38-42-46 cm (11.8-13.4-15-16.5-18-1 in), and you have 76-80-86-90-96 sts on a rnd, bind off 12 sts mid under arm (= 6 sts both sides of the marker). Cont working back and forth, and bind off at each edge every 2^{nd} row 1x3, 1x2, and 1x1 st. Bind off.


Finishing

Sew shoulder seams.

Neck and

Beg mid back. Using needles size 2½ mm, pick or knit up approx. 84-88-92-96-100 sts (number of sts must be multiple by 4). Work in rnds in K2,P2 rib. When work measures approx. 4 cm (1.6 in), inc 1 st in each k-stripe. Cont working in K3,P2 rib. When work measures approx. 8 cm (3.1 in), inc 1 st in each p-stripe. Cont working in K3,P3 rib. When work measures approx. 10-10-12-12-12 cm (4-4-4.7-4.7-4.7 in), or desired length, bind off in rib.

Sew in sleeves. Weave in all ends on WS.



PANTS

Beg from waist

Chart can be found after text for sweater.

Using needles size 2½ mm and white yarn, cast on 150-160-172-180-188 sts. Work in rnds approx. 2 cm (0.8 in) in K1,P1 rib. Change to needles size 3 mm. K1 rnd, adjusting evenly across the rnd the number of sts to be 162-174-186-194-202 sts. Place a marker each side, 81-87-93-97-101 sts for both front and back. Place also markers mid front and back Beg mid back. K9-8-11-9-11, turn, P17-15-21-17-21. Turn, and work each time8-9-9-10-10 sts more until you reach the sidemarkers. K 1rnd over all sts, ending on the left side. Work as foll:

4 yrs: patt A over 21 sts, patt B over 39 sts, patt A, patt A, patt C over 39 sts, patt A.
6 yrs: patt A over 23 sts, 1 st in white, patt B over 39 sts, 1 st

in white, patt A, patt A, 1 st in white, patt C over 39 sts, 1 st in white, patt A.

8 yrs: patt A over 23 sts, patt B over 47 sts, patt A, patt A, patt C over 47 sts, patt A.

<u>10 yrs:</u> patt A over 25 sts, patt B over 47 sts, patt A, patt A, patt C over 47 sts, patt A.

12/14 yrs: 1 st in white, patt A over 25 sts, 1 st in white, patt B over 47 sts, 1 st in white, patt A, 2 sts in white, patt A, 1 st in white, patt C over 47 sts, 1 st in white, patt A, 1 st in white. When work measures approx. 18-18-19-19-20 cm (7.1-7.1-7.5-7.5-7.9 in) (measured from mid front), inc 1 st both sides of mid front and back markers every 2nd rnd altog. 8-8-9-9-10 times. Work legs separately. Work sts from mid front marker to mid back marker using another circular needle (= 97-103-111-115-121 sts). Cont working in rnds in patt, but work at the inner seam as foll: 1 st in red, 1 st in white, 1 st in red, and dec 1 st both sides of these 3 sts approx. every 2-2-2-2 ½-2½ cm (0.8-0.8-0.8-1-1 in). Keep rep dec until 50-54-56-60-64 sts rem. When leg measures the given length, or desired length, change to needles size 2 ½ mm. K 1rnd using white yarn. Work approx. 3 cm(1.2 in) in K1,P1 rib. Bind off in rib. **Finishing**: Sew (cross sts) elastic on innerside of waistline rib.

SWEATER


Using needles size 2½ mm and white yarn, 148-162-176-188 sts. Work in rnds approx. 5-5-6-6 cm (2-2-2.4-2.4 in) in K1,P1. Change to needles size 3mm. K 1 rnd, adjusting evenly across the rnd the number of sts to be 176-192-208-224 sts. Place markers each side, 88-96-104-112 sts for both front and back. Cont working and rep patt C. When work measures approx. 20-22-25-28 cm (7.98.7-9.8-11 in) (start of patt D and E = patt C, cont with patt D and E on the rnd that follows patt C), cont working as foll: patt D over 24 sts, patt C over 39-47-55-63 sts, patt E over 25 sts (= front). Work same for the back. When work measures approx 27-33-39-45 cm (10.6-13-15.4-17.7 in), work in patt B over mid back patt C as charted. When work measures approx.44-50-56-62 cm (17.3-19.7-22-24.4 in) (end with a complete report of patt C), work 2 rnds in red. Bind off. **Sleeves**

Using needles size $2\frac{1}{2}$ mm and white yarn, cast on 44-46-48-48 sts. Work approx. 5-5-6-6 cm (2-2-2.4-2.4 in) K1,P1 rib. Change to needles size 3 mm. K 1rnd, adjusting evenly across the rnd the number of sts to be 59-65-69-73 sts. Place a marker beg of rnd (= mid under arm). Cont working and rep patt C. **Same time** inc 1 st both sides of the marker approx. every $2\frac{1}{2}$ cm (1 in) until you have 81-91-101-105 sts on a rnd, and the sleeve measures approx. 33-38-43-47 cm (13-15-16.9-18.5 in). (End with a complete report of patt C). Turn inside out, and work 6 rnds in St st. Bind off.

Finishing

Dampen the pieces from WS. Sew 2 dense zik-zak seams around armholes, and clip open between the seams. Sew shoulder seams, 27-29-32-35m sts for each shoulder. Sew a marker thread for neck edge, approx. 6-6-7-7 cm (2.4-2.4-2.8-2.8 in) below the upper edge. Knit up with white yarn approx. 59-61-67-69 sts (check than patt are same on each side of the neck edge), and sts from the back = 92-98-106-110 sts on a rnd. K 1 rnd, and cont working approx. 6-6-7-7 cm (2.4-2.4-2.8-2.8 in) in K1,P1 rib. Bind off in rib. Sew a dense zik-zak seam along neck edge, and cut out all extras. Fold neck band in double, and sew on WS over the cut edge. Sew on sleeves. Sew seam allowance over the cut edge.


Weave in all ends on WS.





4 and 6 vrs over 39 sts

8, 10 and 12/14 yrs over 47 sts



repeat

PATTERN D - 24 sts

Sweater and pants

1111-7

SWEATER

DITELLE					
Size	2/4	6	8	10/12	14 yrs
Chest, approx.	64	70	77	83	89 cm
	25.2	27.6	30.3	32.7	35 in
Length, approx.	37	42	47	53	59 cm
	14.6	16.5	18.5	20.9	23.2 in
Sleeve length,	30	34	38	42	47 cm
approx.					
	11.8	13.4	15	16.5	18.5 in

PANTS

Size	4	6	8	10	12/14 yrs
Hips, approx.	65	70	74	77	80 cm
	25.6	27.6	29.1	30.3	31.5 in
Leg length,	50	54	59	64	70 cm
approx.					
	19.7	21.3	23.2	25.2	27.6 in

ALTERNATIVE YARN: Viking Alpaca Silk (50% alpaca, 50% silk), Viking Bjørk (90% cotton, 10% merino wool), 50 g ball

Sweater

Dark Grey, 415:	3	3	4	4	4 balls
Light Grey, 413:	3	3	4	4	4 balls
White, 400:	1	1	1	1	1 ball
Pants					
Light Grey, 413:	6	6	7	7	8 balls

Circular needle and double pointed needles size $2\frac{1}{2}$ and 3 mm - US 1 or 2 and 2 or 3 - UK/Canadian 13 or 12 and 11 + elastic for pants

Gauge: 25 sts = approx. 10cm (4 in) over St st using needles size 3 mm. **Check your gauge to ensure success.**

SWEATER

Using needles size 2½ mm and dark grey yarn, cast on 140-156-172-188-200 sts. Work in rnds approx. 4 cm (1.6 in) in K1,P1 rib. Change to needles size3 mm. K 1 rnd, adjusting evenly across the rnd the number of sts to be 160-176-192-208-224 sts. Place markers each side, 79-87-95-103-111 sts for front and 81-89-97-105-113 sts for back. Work and rep patt A until work measures approx. 32-37-42-48-54 cm (12.6-14.6-16.5-18.9-21.3 in) (end with a complete or half stripe).Slip 45-47-51-55-59 mid front and back sts on holder, and bind off rem sts.

Sleeves

Using needles size 2½ mm and light grey yarn, cast on 44-46-46-48-48 sts. Work in rnds approx. 4-5-5-6-6 cm (1.6-2-2-2.4-2.4 in) in K1,P1 rib. Change to needles size 3 mm. K 1 rnd, adjusting evenly across the rnd the number of sts to be 64-68-74-78-82 sts. Place a marker beg of rnd = mid under arm. Beg mid under arm, and work as foll: 15-17-20-22-24 sts in patt C (end patt C with K3, check where to beg patt), patt B over 34 sts, 15-17-20-22-24 sts in patt C (beg with K3). Cont working in patt, and inc1 st both sides of the marker approx. every 2-2-2½-2½-2½ cm (0.8-0.8-1-1-1 in) until you have 90-96-100-110-116 sts on a rnd, and sleeve measures approx.30-34-38-42-47 cm (11.8-13.4-15-16.5-18.5 in). Slip sts for patt B on holder (=34 sts). Work back and forth 6 rnds in St st with the remaining sts. Bind off.

Shoulder piece

Cont working over the sts of patt B, cast on 1 st at each edge for seam allowance. When shoulder piece measures the same


length as the bound-off sts on front and back (shoulder piece should be little bit shorter rather than too long), dec evenly across the row 10 sts = 26 sts rem. Bind off 1 st at each edge, and leave rem sts on holder.


Finishing

Sew 2 dense zik-zak seams around armholes measured from shoulder pieces. Cut open between seams. Join shoulder pieces to the bound-off sts of front and back. Sew on sleeves. Sew seam allowance over the cut edge.

Neck band


Slip sts from holders on needles size.2 ½ mm. K 1 rnd using dark grey yarn. Cont working in K1,P1 rib. M1 (= mid st) in each corner, and dec 1st both sides of each midst every rnd until 106-110-110-118-118 sts rem. Cont working until neck band measures approx. 12-14-14-16-16 cm (4.7-5.5-5.5-6.3-6.3 in). Bind off in rib. Weave in all ends on WS.





K10, K sts from cn

= SI 10 sts on cn, hold to front,



PANTS

Beg from waist

Using needles size 21/2 mm and light grey yarn, cast on 140-158-172-178-186 sts. Work in rnds approx. 2 cm (0.8 in) in K1,P1 rib. Change to needles size 3 mm. K 1rnd, adjusting evenly across the rnd the number of sts to be 158-172-186-192-200 sts. Place a marker each side, 79-86-93-96-100 sts for both back and front. Place also markers mid front and back. Beg mid back. K8-7-10-8-10, turn, P15-14-21-16-20. Turn, and work each time 8-9-9-10-10 sts more until you reach the sidemarkers, ending on the left side. Cable patt makes the leg narrower, and therefore requires more sts than St st. Work as foll: Inc 10 sts evenly across first 24 sts (= 34 sts), 31-38-45-48-52 sts in St st, inc 20 sts evenly across next 48 sts (= 68 sts), 31-38-45-48-52 sts in St st, inc 10 sts over next 24 sts. Cont working as foll: Patt B over 34 sts, patt C over 31-38-45-48-52 sts, patt B over 68 sts, patt C over 31-38-45-48-52 sts. When work measures approx. 18-18-19-19-20 cm (7.1-7.1-7.5-7.5-7.9 in) (measured from mid front), inc1 st both sides of mid front and back markers every 2^{nd} rnd altog. 8-8-9-9-10 times. Work legs separately. Work from mid front marker to mid back marker using another circular needle = 115-122-131-134-140 sts. Cont working in patt, and inc 2 sts mid patt C approx. every 2-2-2-2 ½-2 ½ cm (0.8-0.8-0.8-1-1 in) until you have 71-74-77-80-84 sts on a rnd, and leg measures the given the given length, or as desired. Change to needles size 2 ½ mm. K 1 rnd, dec evenly across each cable (patt B) = 50-54-56-60-64 sts. Work in rnds approx. 3 cm (1.2 in) in K1,P1rib. Bind off in rib. Work same for the other leg.

Finishing

Sew (cross sts) elastic on innerside of waistline rib.

Viking Alpaca Silk

Overall				1111	1-8
Size	2	4	6	8	10 yrs
Chest, approx.	64	75	83	88	92 cm
	25.2	29.5	32.7	34.6	36.2 in
Length, approx.	87	99	108	120	131 cm
	34.3	39	42.5	47.2	51.5 in
Sleeve length	28	31	34	38	42 cm
	11	12.2	13.4	15	16.5 in
Leg length	41	46	50	55	60 cm
	16.1	18.1	19.7	21.7	23.6 in

ALTERNATIVE YARN: Viking Alpaca Silk (50% alpaca, 50 % silk), Viking Bjørk (90% cotton, 10% merino wool), 50 g ball

Grey, 413:	11	12	13	14	15 balls
Pink, 464:	1	1	1	2	2 ball

Circular needle and double pointed needles size $2\frac{1}{2}$ and 3 mm –US 1 or 2 and 2 or 3 –UK/Canadian 13 or 12 and 11 + zipper, approx. 35-40-45-50-55 cm (13.8-15.7-17.7-19.7-21.7 in) (Note! Measure the length from ready garment).

Gauge: 25 sts = 10 cm (4 in) over St st using needles size 3mm. Check your gauge to ensure success.

Beg from one leg. Using needles size 2½ mm and grey yarn, cast on 50-54-56-60-64 sts. Work in rnds 4-5-5-5-6 cm (1.8-2-2-2-2.4 in) in K1,P1. Change to needles size 3 mm. K 1 rnd, adjusting evenly across the rnd the number of sts to be 88-96-106-112-120 sts. Cont working in rnds in St st. Place a marker beg of rnd = inner seam of leg. Cont working in rnds, and inc1 st both sides of the marker approx. every 6-3½-4-3½-3½ cm (2.4-1.4-1.6-1.4-1.4 in) until you have altog. 100-116-128-138-148 sts on a rnd. When leg measures the given length, or as desired, put work aside, and work same for the other leg. Slip both legs on same circular needle, with inner seams facing each other (= 200-232-256-276-296 sts). Cont working in rnds, and dec 1 st mid front and mid back every 2nd rnd, before the marker: K2togtbl; after the marker: K2tog (= 4 sts are dec each time). Rep dec altog. 10-12-12-14-16 times = 160-184-208-220-232 sts rem. Cont working in rnds until work measures approx. 5-5-6-6 cm (2-2-2.4-2.4 in) (measured from last dec). Bind off 3 sts mid front, and cast on 3 new sts over the bound-off sts on next rnd (purl the cast-on sts each rnd, will be cut open eventually). Place markers each side, 83-97-107-113-119 sts for back, and 77-87-101-107-113 sts for front (3 mid sts are incl. in the number of sts).

Cont working in rnds in St st and grey yarn. When work measures approx. 12-18-22-28-33 cm (4.7-7.1-8.7-11-13 in) (measured from the crotch), work patt as charted. When patt is ready, and work measures approx. 72-83-91-102-112 cm (28.3-32.7-35.8-40.2 -44.2 in) (approx. 31-37-41-47-52 cm (12.2-14.6-16.1-18.5-20.5 in) measured from the crotch), work back and front separately.

Back

Cont working back and forth in St st with grey yarn. When work measures the given length, and armhole measures approx. 15-16-17-18-19 cm (5.96.3-6.7-7.1-7.5 in), bind off.

Front

Cont working back and forth until work measures approx. 5-5-6-6-7 cm (2-2-2.4-2.4 in) less than the ack. Bind off 23-23-25-27-29 mid sts (incl. 3 mid sts). Finish each side separately. Bind off at neck edge every 2nd row 1x3, 1x2, and 1x1 st. When work measures same as back, bind off. Work

same for the other side, rev all shaping.

Sleeves

Using needles size 2½ mm and grey yarn, cast on 40-42-44-46-48 sts. Work in rnds 4-5-5-5-5 cm (1.8-2-2-2-2 in) in K1,P1 rib. Change to needles size 3 mm. K 1 rnd, adjusting evenly across the rnd the number of sts to be 75-81-85-91-95 sts. Cont working in St st until work measures approx. 8-11-14-18-22 cm (3.1-4.3-5.5-7.1-8.7 in). Work patt as charted. When patt is ready, cont working in St st with grey yarn. When work measures the given length, or desired length, bind off. Work same for the other sleeve.

Finishing:

Sew 4 dense machine seams over the purls sts mid front. Cut open. Sew shoulder seams.


Neck band: Pick or knit up approx. 91-95-99-103-107 sts along neck edge. Work back and forth approx. 3 cm (1.2 in) in K1,P1 rib. Bind off.


Right front and: Beg from RS, using needles size 2½ mm and grey yarn, pick or knit up approx. 103-117-131-145-163 sts. Work back and forth 6 rows in St st. Bind off in k-sts from WS. Check that the bound-off edge doesn't turn out too tight. Turn the work, using needles size 2½ mm and grey yarn pick or knit up from WS approx. 103-117-131-145-163 sts. Work back and forth 5 rows in St st. Bind off.

Work same for the left front border.

Sew the zipper between front bands.

Hood: Using needles size 3 mm and grey yarn, cast on 115-121-125-129-135 sts. Work back and forth 3 cm (1.2 in) in K1,P1 rib. K 1 row, and dec 1 st = 114-120-124-128-134 sts. Cont working back and forth in St st and patt for hood (check from mid st where to beg patt). When patt is ready, cont working in St st with grey yarn. When work measures approx. 7-7-8-8 cm (2.8-2.8-2.8-3.1-3.1 in), dec 1 st at each edge every 4th row altog. 4-4-5-5-5 times = 106-112-114-118-124 sts. Cont working back and forth in St st until work measures approx. 18-20-20-22-24 cm (7.1-7.9-7.9-8.7-9.4 in). Bind off at each edge every 2nd row 5-5-5-5-5x 8-9-9-9 sts. Bind off rem sts. Sew mid back seam. Fold front rib and sew on WS. Twist a cord using grey yarn, and thread to the front edge. Weave in all ends on WS. Sew hood to the bound-off edge of neck band (omitting the front edge). **NOTE!** Beg sewing mid back.





Aran sweater and pants

1111-9

		_			
Size	4	6	8	10	12/14 yrs
Chest, approx.	68	72	77	80	87 cm
	26.8	28.3	30.3	31.5	34.5 in
Length, approx.	40	45	50	54	60 cm
	15.7	17.7	19.7	21.3	23.6 in
Sleeve length,	31	34	37	42	46 cm
approx.					
	12.2	13.4	14.6	16.5	18.1 in
Hips, approx.	65	70	74	77	80 cm
	25.6	27.6	29.1	30.3	31.5 in
Leg length, approx.	50	54	59	64	70 cm
_	19.7	21.3	23.2	25.2	27.6 in

ALTERNATIVE YARN: Viking Alpaca Silk (50% alpaca, 50 % silk), Viking Bjørk (90% cotton, 10% merino wool), 50 g balls

SWEATER

Off-White, 402:	6	7	7	8	8 balls
PANTS					
Off-White, 402:	5	5	6	6	7 balls

Circular needle and double pointed needles size 2 ½ and 3mm – US 1 or 2 and 2 or 3 – UK/Canadian 13 or 12 and 11 + elastic for pants

Gauge: 25 sts = approx. 10cm (4 in) over St st using needles size 3 mm. **Check your gauge to ensure success.**

SWEATER

Using needles size $2\frac{1}{2}$ mm, cast on 144-152-162-170-180 sts. Work in rnds approx. 5-5-6-6-6 cm (2-2-2.4-2.4-2.4 in) in K1,P1 rib. Change to needles size 3 mm. K 1 rnd, adjusting evenly across the rnd the number of sts to be 184-200-216-224-244 sts. Place markers each side, 92-100-108-112-122 sts for both back and front. Work as foll:

<u>4 yrs:</u> P1, patt A over 44 sts, P2, patt A, P1 (= front). Work same for the back.

<u>6 yrs:</u> P1, patt A over 46 sts, P2, patt B over 2 sts, P2, patt A, P1 (= front). Work same for the back.

8 yrs: K3, P2, patt A over 46 sts, P2, patt B over 2 sts, P2, patt A, P2, K3 (= front). Work same for the back.

10 yrs: K3, P2, patt A over 46 sts, P2, patt C over 6 sts, P2, patt A, P2, patt A, P2, K3 (= front). Work same for the back. 12/14 yrs: K4, P2, patt A over 46 sts, P2, patt B over 2 sts, P2, patt C over 6 sts, P2, patt B, P2, patt A, P2, K4 (= front). Work same for the back.

When work measures approx. 24-28-32-35-40 cm (9.4-11-12.6-13.8-15.7 in), work back and front separately.

Back

Cont working back and forth in patt until work measures approx. 40-45-50-54-60 cm (15.7-17.7-19.7-21.3-23.6 in). K 1 row, dec12 sts evenly across the row. Bind off.

Front

Work same as for back. When work measures approx.34-39-44-47-51 cm (13.4-15.4-17.3-18.5-20.1 in), bind off 14-16-18-20-22 mid sts. Work each side separately. Bind off at neck

edge every 2nd row 1x5, 1x3, 1x2, and 1- 1- 1- 2- 2x1st. When work measures same as back, K 1 row and dec evenly across 4 sts. Bind off.

Work same for the other side, rev all shaping.

Sleeves

Using needles size $2\frac{1}{2}$ mm, cast on 42-44-46-48 sts. Work in rnds approx. 4-4-5-5-6 cm (1.8-1.8-2-2-2.4 in) in K1,P1 rib. Change to needles size 3 mm. K 1 rnd, adjusting evenly across the rnd the number of sts to be 52-54-58-62-66 sts. Place a marker beg of the rnd = mid under arm. Work as foll: K1-2-4-6-8, P2, patt A over 46 sts, P2, K1-2-4-6-8. Inc 1 st same time both sides of the marker approx. every $1\frac{1}{2}$ -2-2-2-2 cm (0.6-1-1-1 in) (inc sts are worked in St st) until you have altog. 80-86-90-96-100 sts on the rnd. When work measures approx. 31-34-47-42-46 cm (12.2-13.4-18.5-16.5-18.1 in), K 1 row, dec evenly 6 sts across the row.

Finishing

Sew shoulder seams.

Neck and

Beg mid back. Using needles size 2½ mm, pick or knit up approx. 68-76-84-94-98 sts around neck edge. Work in rnds approx. 6-6-6-7-7 cm (2.4-2.4-2.4-2.8-2.8 in) in K1,P1 rib. Bind off in rib. Fold neckband in double, and sew on WS. Sew on sleeves. Weave in all ends on WS.

PANTS

Beg from waist.

Using needles size 2½ mm, cast on 150-160-172-180-188 sts. Work in rnds approx. 2 cm (1.8 in) in K1,P1 rib. Change to needles size 3 mm. K 1 rnd, adjusting evenly across the rnd the number of sts to be 160-172-184-192-200 sts. Place markers each side, 80-86-92-96-100 sts for back and front. Place also markers mid front and back. Beg from mid back. K8-7-10-8-10, turn, P16-14-20-16-20. Turn, and work each time 8-9-9-10-10 sts more until you reach the sidemarkers.

Beg from left side. Work 80-86-92-96-100 sts in St st (= back) until sidemarker on right side. Cable patt require more sts than St st. Inc 12 sts evenly across next 80- 86- 92- 96- 100 sts (= 92-98-104-108-112 sts).

Work as foll:

4 yrs: K80, P1, patt A over 44 sts, P2, patt A, P1.

6 yrs: K86, P2, patt A over 46 sts, P2, patt A, P2.

8 yrs: K93, P2, patt A over 46 sts, P2, K2, P2, patt A, P2, K1. 10 yrs: K98, P2, patt A over 46 sts, P2, K4 r, P2, patt A, P2, K2.


12/14 yrs: K103, P2, patt A over 46 sts, P2, K6, P2, patt A, P2, K3.

When work measures approx. 18-18-19-19-20 cm (7.1-7.1-7.5-7.5-7.9 in) (measured mid front), inc 1 st both sides of mid front and back markers every 2nd rnd altog.8-8-9-9-10 times. Work inc. sts in St st, except 2 first sts are worked in purl. Work legs separately.

Work sts from mid front marker to mid back marker using another circular needle = 102-108-116-120-126 sts. Cont working in patt and St st. Dec1st both sides of the St st-panel approx. every 2 cm (1.8 in) until 54-54-56-56-58 sts rem, and work measures the given length, or as desired. Change to needles size $2\frac{1}{2}$ mm. Work approx. 3 cm (1.2 in) in K1,P1 rib. Bind off in rib. Work same for the other leg.

Finishing

Sew (cross sts) elastic on innerside of waistline rib.



 \square = K on RS, P on WS

▼ = P on RS, K on WS

= SI 4 sts on cn, hold to frontt, K4. K sts from cn

= SI 3 sts on cn, hold to front, K3, K sts from cn = SI 1 st on cn, hold to back K4, P st from cn

= SI 4 sts on cn, hold to front, P1. K sts from cn

= SI 1 st on cn, hold to front, K1, K st from cn, sI 1 st on cn, hold to back, K1, K st from cn

= SI 1 st on cn, hold to front, K1, K st from cn

Sweater and pants

1111-10

SWEATER

Size	4/6	8	10/12	14 yrs
Chest, approx.	70	77	83	89 cm
	27.6	30.3	32.7	35 in
Length, approx.	44	50	56	62 cm
	17.3	19.7	22	24.4 in
Sleeve length, approx.	33	38	43	47 cm
	13	15	16.9	18.5 in

PANTS

Size	4	6	8	10	12/14 yrs
Hips, approx.	65	70	74	77	80 cm
	25.6	27.6	29.1	30.3	31.5 in
Leg length, approx.	50	54	59	64	70 cm
	19.7	21.3	23.2	25.2	27.6 in

ALTERNATIVE YARN: Viking Alpaca Silk (50% alpaca, 50 % silk), Viking Bjørk (90% cotton, 10% merino wool), 50 g ball

SWEATER

Blue, 425	4	4	5	5 balls	
Light Blue, 424		3	4	4	5 balls
PANTS					
Blue, 4254	4	5	5	6 balls	
Light Blue, 424	3	3	4	4	5 balls

Circular needle and double pointed needles size $2\frac{1}{2}$ and 3mm-US 1or 2 and 2or 3 – UK/Canadian 13 or 12 and 11

+ 3 buttons for sweater

+ elastic for pants

Gauge: 25 sts = 10 cm (4 in) over St st using needles size 3 mm.

Check your gauge to ensure success.

SWEATER

Using needles size 2½ mm and blue yarn, cast on 148-162-176-188 sts. Work in rnds approx. 5-5-6-6 cm (2-2-2.4-2.4 in) in K1,P1 rib. Change to needles size 3 mm. K 1 rnd, adjusting evenly across the rnd the number of sts to be 176-192-208-224 sts. Place markers each side, 88-96-104-112 sts for both back and front. Cont working as foll: 1 st in blue, patt A over 21-25-29-33 sts, patt B over 22 sts, patt C over 22 sts, patt A over 21-25-29-33 sts, 1 st in blue (= front). Work same for ack. When work measures approx. 28-33-38-42 cm (11-13-15-16.5 in) (end with a complete or half patt), finish back and front separately.

Back

Cont working back and forth in St st with blue yarn. When armhole measures approx. 16-17-18-20 cm (6.3-6.7-7.1-7.9 in) (measured mid back).

Front

Work same as for back, but when work (= armhole) measures approx. 4-4-5-5 cm (1.8-1.8-2-2 in), bind off 8 mid sts for a split. Work each side separately. Cont working back and forth, until work measures 6-6-7-7 cm (2.4-2.4-2.8-2.8 in) less than back. Bind off for neck edge every 2^{nd} row 1x5-5-6-6, 1x3-3-3-4, 1-2-2-2x2, and 2-1-1-1x1 st (= 28-31-34-37 sts rem for shoulder). When work measures same as back, bind off. Work same for the other side, rev all shaping.

Sleeves

Using needles size $2\frac{1}{2}$ mm and blue yarn, cast on 44-46-48-48 sts. Work in rnds approx. 5-5-6-6 cm (2-2-2.4-2.4 in) K1,P1 rib. Change to needles size 3 mm. K 1 rnd, adjusting evenly across the rnd the number of sts to be 59-65-69-73 sts. Place a marker beg of rnd = mid under arm. Work in patt A, and inc 1 st both sides of the marker approx. every $2\frac{1}{2}$ cm (1 in) until you have altog. 81-91-101-105 sts on a rnd. When work measures approx. 33-38-43-47 cm (13-15-16.9-18.5 in), or desired length, bind off.

Finishing

Dampen the pieces slightly from WS. Sew shoulder seams.

Neck band and split edges

Beg from right edge of split. Using needles size 2½ mm and blue yarn, pick or knit up approx. 23-25-27 sts, approx. 80-82-84-86 sts around neck edge, and approx. 23-25-25-27 sts along left split edge. Place markers each corner (= front edge and neck edge). Work back and forth in St st, same time inc 1 sts both sides of the markers ever 2nd row. When neck and measures approx. 1 ½ cm (0.6 in), make 3 buttonholes (Buttonhole: Bind off 3 sts. Next row: Cast on 3 new sts over the bound-off sts) on left edge of the split, one approx. 1 cm (0.4 in) from the marker, one approx. 1 cm (0.4 in) from the end of the row, and one between them. When work measures approx. 3 cm (1.2 in), K 1 row (=WS = folding edge). Work approx. 3 cm (1.2 in) in St st, but instead of inc, dec 1 st both sides of the markers and make the buttonholes same as earlier. Bind off. Fold neck band in double, and sew on WS. Finish buttonholes with buttonhole sts.

Sew on sleeves and buttons. Weave in ends on WS.


PANTS


Beg from waist

Using needles size 2½ mm and blue yarn, cast on 150-160-172-180-188 sts. Work in rnds approx. 2 cm (0.8 in) in K1,P1 rib. Change to needles size 3 mm. K 1 rnd, adjusting evenly across the rnd the number of sts to be 162-178-186-194-202 sts. Place markers each side, 81-89-93-97-101 sts for both back and front. Place also markers mid front and back. Beg mid back. K9-9-11-9-11, turn, P17-17-21-17-21. Turn, and work each time 8-9-9-10-10 sts more until you reach the side markers. Cont from left side marker as foll: Patt B over 22 sts, patt A over 37-45-49-53-57 sts, patt C over 22 sts, patt B, patt A over 37-45-49-53-57 sts, patt C. When work measures approx. 18-18-19-19-20 cm (7.1-7.1-7.5-7.5-7.9 in) (measured mid front), inc 1 st both sides of mid front and back sts every 2nd rnd altog. 8-8-9-9-10 times. Work legs separately. Work sts from mid front to mid back using another circular needle = 97-105-111-115-121 sts. Cont working in rnds in patt, but work at the inner seam (= beg of the rnd) the mid st every rnd in light blue yarn with patt A on each side. Dec 1 st both sides of the mid st approx. every 2-2-2-2 ½-2½ cm (0.8-0.8-0.8-1-1 in) until 50-54-56-60-64 sts rem. Leg measures now approx. 30-33-36-40-45 cm (11.8-13-14.2-15.7-17.7 in) (end with complete or half patt). Cont working as foll: Patt A same as before, 21 sts in light blue, 1 st in blue, 2 sts in light blue, 1 st in blue, 21 sts in light blue, patt A same as before. Rep 1 more time. Cont working in patt A over all sts except the 4 sts which are worked all the time 1 in blue, 2 in light blue, 1 in blue. Keep rep until leg measures approx. 47-51-56-61-67 cm (18.5-20.1-22-24-26-4 in). Change to needles size 2½ mm. Work approx. 3 cm (1.2 in) in K1,P1 rib. Bind off in rib.

Finishing

Sew (cross sts) elastic on the innerside of the waistline rib. Weave in all ends on WS.





Sweater and pantyhose 1111-11

Size:	2	4	6	8	10 yrs
Chest	62	69	74	78	83 cm
	24.4	27.2	29.1	30.7	32.7 in
Length	34	38	42	46	50 cm
	13.4	15	16.5	18.1	19.7 in
Sleeve length	20	25	30	35	37 cm
	7.9	9.8	11.8	14.2	14.6 in
<u>Hips</u>	53	56	61	64	67 cm
	20.9	22	24	25.2	26.4 in
Leg length	35	40	46	52	60 cm
·	13.8	15.7	18.1	20.5	23.6 in

ALTERNATIVE YARN: Viking Alpaca Silk (50% alpaca, 50 % silk) Viking Bjørk (90% cotton, 10% merino wool), 50 g ball

GIRL

Sweater: Pink, 464:	4	4	5	6	7 balls
Pants: Pink, 464:	3	4	5	6	7 balls
BOY					
Sweater: Blue, 472:	4	4	5	6	7 balls
Pants: Blue, 472:	3	4	5		7 balls

Double pointed needles and circular needle size 3 mm – US 2 or 3 – UK/Canadian 11 $\,$

+ elastic for pants

Gauge: 25 sts = approx. 10 cm (4 in) in St st using needles size 3 mm. Check your gauge to ensure success.

SWEATER

Using circular needle size 3 mm, cast on 156-172-184-196-208 sts. Work in rnds in K2,P2 rib. Place markers each side,78-86-94-98-106 sts for front, and 78-86-90-98-102 sts for back. When work measures approx. 22-25-28-31-34 cm (8.7-9.8-11-12.2-13.4 in), bind off 8 sts each side (4 sts both sides of the side markers). Put work aside, and knit the sleeves.

Sleeves

Using dpn size 3 mm, cast on 40-44-44-48 sts. Work in rnds in K2,P2 rib. Place a marker mid under arm. Inc 1 st both sides of the marker approx. every $1\frac{1}{2}$ -2-2- $2\frac{1}{2}$ -3 $\frac{1}{2}$ cm (0.6-0.8-0.8-1-1.4 in) until you have 64-68-72-76-80 sts on a rnd. When work measures the given length, or as desired, bind off 8 sts mid under arm (4 sts both sides of the marker). Check that sts match with body piece and K2,P2 rib can be continued after combining the sts. Work same for the other sleeve.

Yoke: Slip all sts on same circular needle, with sleeve sts over the bound-off sts for armholes =252-276-296-316-336 sts . K2tog at each 4 seam lines. Cont raglan dec at each seam line. Before seam line: K2togtbl; after seam line: K2tog. Rep dec every 2^{nd} rnd. P-sts are purled tog each side of the mid st. When work measures 4 cm (1.8 in) less than the given length, bind off for neck edge 11-14-14-18-18 mid sts. Cont working back and forth. Bind off 2 sts at beg of each next 14 rows = approx. 26-30-32-34-36 sts rem.

Neck band: Using needles size $2\frac{1}{2}$ mm, pick or knit up sts around the neck edge(1st from each st so that you can cont to work in K2,P2 rib). When neck band measures approx. 3-3-4-4-4 cm (1.2-1.2-1.8-1.8-1.8 in), bind off.

Sew under arm seams. Weave in all ends on WS

PANTYHOSE

Beg from waist. Cast on 132-140-152-160-172 sts. Work in rnds 4 cm (1.6 in) in K2,P2 rib. Cont working in St st. Place markers mid back. Work short rows to rise the back of the pants: beg from mid back, work 7 sts turn, work 14 sts. Turn, and work each time 7 sts more until you have altog. 3 turnings both sides. Cont working over all sts. Inc 2 sts mid back approx. every 3 cm (1.2 in) (same for all sizes). When work measures approx. 12-13-14-15-16 cm (4.7-5.1-5.5-5.9-6.3 in) (measured mid front), inc 2 sts mid back and mid front every 2nd rnd until you have 192-200-208-216-224 sts on a rnd. Work legs separately, with 96-100-104-108-112 sts for each leg. Beg mid back (place a marker), and work in rnds in K2,P2. Dec 2 sts every 2nd rnd for 4 times at the inner seam of the leg (same for all sizes). After that dec as foll mid back: P2 mid sts tog, this st is now the mid st for the decreases. Work approx. 2 cm (in), and work as foll: K2togtbl, mid st, K2tog. Rep sts approx. every 2 cm (0.8 in) (when dec p-sts P2tog both sides of mid st). Cont dec until 44-48-52-56-60 sts rem on a rnd. When leg measures approx. 35-40-46-52-60 cm (13.8-15.7-18.1-20.5-23.6 in) (= measured from the crotch), or desired length, work heel with half of the sts (= work in St st). Work until 1 st remains at one edge, turn, and work until 1 st rem at the other edge, turn and work each time 1 st less until approx. 8 sts rem in the middle. Turn, and work 1st more each row. To avoid holes in the work, M1 after last st and Ktogtbl with next st. Cont rep until all sts are returned back to work. Divide sts on 4 dpn, and cont working in rnds, in K2,P2 rib with sts on top of the foot and in St st for sole. When work measures approx. 10-11-12-14-16 cm (4-4.1-4.7-5.5-6.3 in) (incl heel), or desired length, beg dec: K2tog 2 first and 2 mid sts on each 4 needles. Work 4 rnds, and rep dec. Rep dec with 1 rnd less between dec until 4-8-12-8-12 sts rem. Break yarn, and thread through rem sts. Weave in ends on WS.Fold upper edge in double and sew on WS. Thread in elastic.