

Viking Sportsragg

Cardigan

1502-1

Size:	S- M- L
Bust:	95 - 102 - 110 cm
	38.8-40.2-43.3 in
Length:	65 - 65 - 67 cm
	25.6-25.6-26.4 in
Sleeve length:	50 - 51 - 52 cm
	19.7-20.1-20.5 in

ALTERNATIVE YARNS: Viking Sportsragg (60% wool, 20% nylon, 20% acrylic), Viking Superwash (100% wool, superwash), Viking Sportsgarn (100% wool), Viking Merino Superfine (100% merino wool, superwash), 50 g ball

Off-White, 502:	7-8-9 balls
Beige, 507:	4-5-6 balls
Grey, 530:	4-5-6 balls

Circular needle and double pointed needles size 3 and 3 ½ mm – US 2 or 3 and 4 – UK/Canadian 11 and 10 or 9
+ 7-8-8 buttons

Gauge: 23 sts = approx. 10 cm/4 in over St st using needles size 3 ½ mm. **Check your gauge to ensure success.**

When working in a patt with 2 clrs, it's important to maintain the order of yarns over your finger. Always hold the darker clr in front throughout the whole project.

Using needles size 3 mm and off-white yarn, cast on 238-258-274 sts. Work back and forth in rib as foll: 1st row = RS: Knit over all sts. 2nd row = WS: K2, P2. Rep these 2 rows until rib measures approx. 5-5-5 cm/2-2-2 in. Slip first and last 12 sts on holders = front band sts. There is now 214-234-250 sts on a row. Change to needles size 3 ½ mm. Knit 1 row (= RS), and inc evenly across number of sts to be 217-235-253 sts. Cast on 5 new sts to the end of the row for seam allowance. Purl these new sts every rnd = to be cut open later on, not incl in the number of sts. Cont working in rnds in St st with patt as charted. Place markers at each side, 52-56-61 sts for both fronts, and 113-123-131 sts for back. When work measures approx. 65-65-67 cm/25.6-25.6-26.4 in, slip sts on holder, or bind off.

Sleeves

Using needles size 3 mm and off-white yarn, cast on 48-52-52 sts. Work in rib same as for body, but in rnds. Change to needles size 3 ½ mm. Work 1 rnd in St st, and inc evenly across number of sts to be 65-69-69 sts. Place a marker mid under sleeve = beg of rnd. Cont working in rnds in patt as charted. Inc 1 st both sides of the marker approx. every 2 ½ - 2 ½ - 2 ½ cm/1-1-1 in until there is 97-103-105 sts on a rnd. When sleeve measures the given length, or as desired, turn work inside out. Work 5 rnds in St st with basic clr for seam allowance. Bind off rather loosely.

Finishing

Dampen work slightly from WS. Sew 2 dense zigzag seams around armholes (measure width from sleeve top), and mid front. Cut open between the seams. Sew normal zigzag over cut edges. Join shoulder seams, and leave approx. 39 – 41 – 41 mid back and front sts for neck edge.

Left front band: Slip 12 sts from holder over needles size 3 mm. Cont working in rib with off-white yarn, and cast on 5 new sts to the edge facing the body = seam allowance, work in St st. Cont working until front band measures 7-7-8 cm/2.8-2.8-3.1 in

less than total length. Take care that front band doesn't turn out to be too long.

Right front band: Work same as for left front, but make 7-8-8 sts. Make first buttonhole on 1st row after rib, last one on last row before neckband, and rem evenly spaced apart. Buttonhole, 4 sts inside front edge: Bind off 3 sts. Next row: Cast on 3 new sts over the bound-off ones. When front band measures same as left front band, bind off seam allowance sts, and slip rem sts on holder.

Neckband: Sew a slightly curving marker thread for neck edge, mid front approx. 7-7-8 cm/2.8-2.8-3.1 in below the upper edge. Using needles size 3 mm and off-white yarn, pick up approx.

110-114-118 sts (incl. front band sts) along neck edge. Work back and forth 3 cm/1.2 in in rib, same as for body and sleeves.

Bind off 12 first and last sts. Purl 1 row over rem sts = folding edge + work 3 cm/1.2 in in rib. Bind off rather loosely.

Sew 2 dense zigzag seams along neck edge, inside neckband. Cut off all extras. Sew normal zigzag over cut edges. Fold neckband in double over cut edges, and sew on WS.

Sew on front bands. Sew seam allowances over cut edges. Sew on sleeves. Sew seam allowances over cut edges. Sew on buttons. Weave in all ends on WS.

Viking Sportsragg

Sweater

1502-2

Size:	XS-S-M-L-XL-XXL
Bust:	84 -91 -96 -102 -110 -117 cm 33.1-35.8-38.8-40.2-43.3-46.1 in
Length:	64 -65 -66 -67 -68 -68 cm 25.2-25.6-26-26.4-26.8-26.8 in
Sleeve length:	48 -49 -50 -51 -52 -52 cm 18.9-19.3-19.7-20.1-20.5-20.5 in

ALTERNATIVE YARNS: Viking Sportsragg (60% wool, 20% nylon, 20% acrylic), Viking Superwash (100% wool, superwash), Viking Sportsgarn (100% wool), Viking Merino Superfine (100% merino wool, superwash), 50 g ball

Blue, 527:	12-12-13-13-14-15 balls
White, 500:	1 -1 -1 -2 -2 -2 balls
Charcoal, 517:	1 -1 -1 -1 -1 -1 ball

Needles size 3 and 3½ mm – US 2 or 3 and 4 – UK/Canadian 11 and 10 or 9

Gauge: 23 sts = approx. 10 cm/4 in over St st using needles size 3½ mm. **Check your gauge to ensure success.**

When working in patt with 2 clrs, it's important to maintain the order of yarns over your finger. Always hold the darker clr in front throughout the whole project.

Using needles size 3 mm and blue yarn, cast on 194 – 210 – 222 – 234 – 254 – 270 sts. Work in rnds approx. 6 cm/2.4 in in K1,P1 rib. Change to needles size 3 ½ mm. Work in St st. Place markers at each side, 97 – 105 – 111 – 117 – 127 – 135 sts for both front and back.

When work measures approx. 41 – 41 – 41 – 42 – 42 – 42 cm/16.1-16.1-16.1-16.5-16.5-16.5 in, Bind off 10 sts at each side for armholes (5 sts both sides of the markers). Leave work aside, and knit the sleeves.

Sleeves:

Using needles size 3 mm and blue yarn, cast on 44 – 48 – 48 – 48 – 52 – 52 sts. Work in rnds approx. 6 cm/2.4 in in K1,P1 rib. Change to needles size 3 ½ mm. Work in St st, and inc evenly across 1st rnd number of sts to be 47 – 51 – 51 – 51 – 55 – 55 sts. Place a marker beg of rnd. Inc 1 st both sides of the marker approx. 2 ½ – 2 ½ – 2 – 2 – 2 – 2 cm/1-1-0.8-0.8-0.8-0.8 in until there is 79 – 83 – 89 – 95 – 97 – 101 sts on a rnd, and sleeve measures approx. 48 – 49 – 50 – 51 – 52 – 52 cm/18.9-19.3-19.7-20.1-20.5-20.5 in. Bind off on last rnd 10 sts mid under sleeve (5 sts both sides of the marker). Work same for the other sleeve.

Yoke:

Knit all pieces on same circular needle size 3 ½ mm, with sleeves over the bound-off sts for armholes = 312 – 336 – 360 – 384 – 408 – 432 sts on a rnd. Beg from back, from right shoulder. Check from mid back where to beg patt. Work in patt I and dec as charted. There is now 91 – 84 – 90 – 96 – 102 – 108 sts on a rnd.


Neckband:

Change to needles size 3 mm, and cont working with blue yarn. Work 1 rnd in St st, and dec evenly across number of sts to be for size XS 84 sts.


All sizes: Work in rnds approx. 7 – 7 – 7 – 8 – 8 – 8 cm/2.4-2.4-2.4-2.8-2.8-2.8 in in K1,P1 rib. Bind off rather loosely in rib. Fold neckband in double, and sew on WS.

Finishing:

Sew underarm seams. Weave in all ends on WS.



PATTERN I



- = Blue
- = Charcoal
- = White
- = K2tog

Viking Sportsragg

Long cardigan

1502-3

Size:	S- M-L- XL-XXL
Bust:	95 -105 -112 -119 -128 cm 37.4-41.4-46.8-50.3 in
Length	80 -80 -81 -81 -82 cm 31.5-31.5-31.9-31.9-32.3 in
Sleeve length:	48 -49 -50 -51 -51 cm 18.9-19.3-19.7-20.1-20.1 in

ALTERNATIVE YARNS: Viking Sportsragg (60% wool, 20% nylon, 20% acrylic), Viking Superwash (100% wool, superwash), Viking Sportsgarn (100% wool), Viking Merino Superfine (100% merino wool, superwash), 50 g ball

Light Grey, 513:	15 -16 -17 -18 -19 balls
White, 500:	4 -4 -5 -5 -5 balls
Dark Blue, 527:	2 -2 -2 -2 -2 balls
Charcoal, 517:	3 -3 -3 -4 -4 balls

Circular needle and double pointed needles size 3 and 3 ½ mm – US 2 or 3 and 4 – UK/Canadian 11 and 10 or 9 + 10 buttons

Gauge: 23 sts = approx. 10 cm/4 in over St st using needles size 3 ½ mm. **Check your gauge to ensure success.**

When working in a patt with 2 clr, it's important to maintain the order of clr over your finger. Always hold the darker clr in front throughout the whole project.

Using needles size 3 mm and light grey yarn, cast on 218-242-258-274-298 sts. Work back and forth in rib as foll: K1,P1 rib over 11 sts, P4,K4 until 15 sts rem, P4, K1,P1 over rem sts. When work measures 2 cm/0.8 in, make 1 buttonhole beg of the row, inside 3 sts from the front edge. Buttonhole: Bind off 3 sts. Next row: Cast on 3 new sts over the bound-off ones. When work measures 6 cm/2.4 in, slip fist and last 11 sts on holders (= front band sts). Change to needles size 3 ½ mm. Cont working in St st, and inc evenly across 1st rnd number of sts to be 207-231-247-263-283 sts. Cast on 4 sts to the end of the row = to be cut open later on, purl every rnd, not incl. in the number of sts. Place markers at each side, 49-55-59-63-68 sts for both fronts, and 109-121-129-137-147 sts for back. When work measures 25 cm/9.8 in, leave pocket sts on holders as foll: Work 7-8-10-12-14 sts, use an extra thread and knit next 36 sts (= pocket sts), knit them again with light grey, cont working with light grey yarn until 43-44-46-48-50 sts, use an extra thread for next 36 sts, and work rem sts with light grey yarn. Cont working same as before until work measures 56-55-55-55-55 cm/22-21.7-21.7-21.7-21.7 in, or as desired. Bind off 12-14-14-14-14 sts at each side for armholes = 6-7-7-7-7 sts both sides of the markers. Leave work aside, and knit the sleeves.

Sleeves

Using needles size 3 and light grey yarn, cast on 48-48-48-48-56 sts. Work 6 cm/2.2 in K4,P4 rib. Change to needles size 3 ½ mm. Work 1 rnd in St st, and inc evenly across to be 55-59-61-65-69 sts. Place a marker mid under sleeve = beg of rnd. Work in patt II as charted, and after that in St st with light grey yarn. Inc same time 1 st both sides of the marker approx. every 1 ½ cm/0.6 in (same for all sizes), until there is 101-105-109-113-115 sts on a rnd. When sleeve measures the given length, or as desired, bind off on last rnd mid under sleeve 12-12-14-14-14 sts = 6-7-7-7-7 sts both sides of the marker.

Leave work aside, and knit the other sleeve.

Yoke

Slip all pieces on same circular needle size 3 ½ mm, with sleeves over the bound-off armhole sts = 361-385-409-433-457 sts. Work in patt I, and dec as charted. There is now 121-129-137-145-153 sts on a rnd.

Finishing

Sew 2 dense zigzag seams mid front. Cut open between the seams. Sew normal zigzag over the cut edges.

Slip left front band sts on needles size 3 mm. Work back and forth in rib, and cast on 4 sts to the edge facing the body = seam allowance sts, work in St st. When front band measures the same as body (Note! Front band must not be too long), bind off seam allowance sts, and slip rem 11 sts on holder.

Work same for the other front band, but make 10 buttonholes.

First buttonhole is already made, last one will be made before neckband, and rest evenly spaced apart.

Neckband

Slip front band sts and body sts on same circular needle size 3 mm = 143-151-159-167-175 sts. Cont working with light grey yarn. Work 2 rows in St st between front bands in St st, and dec evenly across (inside front bands) 37-45-45-45-45 sts = 106-106-114-122-130 sts (= incl front band sts). Work back and forth 4 cm/1.6 in in rib, same as for lower edge. Bind off first and last 11 sts. Work 4 cm/1.6 in rib. Bind off in rib.

Finishing:

Sew underarm seams.

Sew on front bands. Sew seam allowances over cut edges.

Fold neckband in double, and sew on WS.

Pockets

Using needles size 3 mm, pick up sts from upper and lower edge for pocket (Note! Pick up upper edge sts by turning the work, worked downwards). Unravel extra thread.

Beg with upper edge sts. Work back and forth in St st with light grey yarn. When pocket measures approx. 11 cm/4.3 in, bind off rather loosely.

Pocket edge

Work in K4,P4 rib with lower edge sts. When work measures approx. 4 cm/1.6 in, bind off in rib.


Work same for the other pocket.

Sew on pockets on WS. Sew pocket edges' side seams.

Sew on buttons.

Weave in all ends on WS.

Pattern II




Mid sleeve

Repeat

- = black
- = light grey
- = jeansblue
- = white
- = K2tog

PATTERN I



End here

Repeat

Beg here

- = black
- = light grey
- = jeansblue
- = hvitt
- = K2tog

Viking Sportsragg

Long cardigan

1502-4

Size:	XS- S-M-L-XL-XXL
Bust:	88 -98 -104 -114 -120 -130 cm 34.6-38.6-41-44.9-47.2-51.2 in
Length	75 -75 -76 -76 -76 -76 cm 29.5-29.5-29.9-29.9-29.9-29.9 in
Sleeve length:	47 -48 -49 -50 -51 -51 cm 18.5-18.9-19.7-20.1-20.1 in

ALTERNATIVE YARNS: Viking Sportsragg (60% wool, 20% nylon, 20% acrylic), Viking Superwash (100% wool, superwash), Viking Sportsgarn (100% wool), Viking Merino Superfine (100% merino wool, superwash), 50 g ball

Charcoal, 517:	7-7-8-8-9-9 balls
Off-White, 502:	5-6-6-7-7-8 balls
Beige nr 507:	2-3-3-3-4-4 balls
Brown, 519:	2-3-3-3-4-4 balls

Circular needle and double pointed needles size 3 and 3 ½ mm – US 2 or 3 and 4 – UK/Canadian 11 and 10 or 9
+ 7 – 7 – 7 – 8 – 8 – 8 buttons

Gauge: 23 sts = approx. 10 cm/4 in over St st using needles size 3 ½ mm. **Check your gauge to ensure success.**

When working in a patt with 2 clrs, it's important to maintain the order of yarns over your finger. Always keep the darker clr in front throughout the whole project.

Using needles size 3 mm and charcoal yarn, cast on 213-237-249-273-285-309 sts. Work back and forth 5 cm/2 in in K1,P1 rib. Make 1 buttonhole on last row to the right side of the work, inside 3 sts from front edge. Buttonhole: Bind off 3 sts. Next row: Cast on 3 sts over the bound-off ones. Slip first and last 10 sts on holders = front band sts. Change to needles size 3 ½ mm. Work 1 rnd in St st with charcoal clr yarn, and cast on 4 new sts to the end of the row = to be cut open later on, purl every rnd. There is now 193 – 317 – 229 – 253 – 265 – 289 sts on a rnd (4 mid front sts not incl.). Place markers at each side, 46 -52 -55 -61 -64 -70 sts for both fronts, and 101-113-119-131-137-149 sts for back. Cont working in patt I as charted. When work measures the given length, or as desired (end with a complete patt), bind off.

Sleeves

Using needles size 3 mm and charcoal yarn, cast on 44-44-46-46-48-48 sts. Work in rnds 5 cm/2 in in K1,P1 rib. Change to needles size 3 ½ mm. Work 1 rnd in St st, and inc evenly across number of sts to be 57-57-61-61-63-65 sts. Place a marker mid under sleeve = beg of rnd. Cont working in patt I as charted. Inc 1 st both sides of the marker approx. every 1 ½ cm/0.6 in (same for all sizes), until there is 105-111-115-119-123-125 sts on a rnd. When sleeve measures the given length, or as desired, turn sleeve inside out. Work 2 cm/0.8 in in St st for seam allowance. Bind off rather loosely. Work same for the other sleeve.

Finishing

Dampen work slightly from WS. Sew 2 dense zigzag seams around armholes (measure width from sleeve top), and mid front. Cut open between seams. Sew normal zigzag over cut edges. Join shoulder seams, leaving approx. 17-17-18-18-19-19 cm/6.7-6.7-7.1-7.1-7.5-7.5 in mid front and back for neck edge.

Left front band

Slip 10 front band sts on needles size 3 mm. Cont working in rib same as before, but cast on 5 new sts to the edge facing the body = seam allowance, work in St st. When front band measures 6-6-

6-7-7-7 cm/2.4-2.4-2.4-2.8-2.8-2.8 in less than total length (front band must not be too long), bind off seam allowance sts.

Right front band

Work same as for left front band, but with 7-7-7-8 -8-8 buttonholes. First buttonhole is already made, last one will be made on last row before neck band, and rest evenly spaced apart.

Neckband


Sew a slightly curving marker thread for neck line, mid front approx. 6-6-6-7-7-7 cm/2.4-2.4-2.4-2.8-2.8-2.8 in below upper edge Pick up sts with charcoal clr yarn along the marked line + sts from back and front bands, approx. 111-113-115-117-119-121 sts (check that patt is the same both sides of neck edge). Cont working back and forth in rib until neckband measures approx. 4 cm/1.6 in. Bind off front band sts. Cont working 4 cm/1.6 in rib. Bind off rather loosely in rib.

Sew 2 dense zigzag seams along neck edge, inside neckband. Cut off all extras. Sew normal zigzag over cut edges. Fold neckband in double over cut edges, and sew on WS.

Sew on sleeves. Sew seam allowances over cut edges. Weave in all ends on WS.

Sew on buttons.

Pattern I



Viking Sportsragg

Sweater

1502-5

Size:	S – M – L – XL			
Bust:	89	-	97	- 105 - 115 cm
	35-38.3-41.4-45.3 in			
Length:	67	-	67	- 68 - 68 cm
	26.4-26.4-26.8-26.8 in			
Sleeve length:	49	-	50	- 50 - 51 cm
	19.3-19.7-19.7-20.1 in			

ALTERNATIVE YARNS: Viking Superwash (100% wool, superwash), Viking Sportsragg (60% wool, 20% nylon, 20% acrylic), Viking Sportsgarn (100% wool), Viking Merino Superfine (100% merino wool, superwash), 50 g ball

Off-White, 502:	11 - 12 - 13 - 14 balls
Brown, 519:	2 - 2 - 2 - 2 balls
Beige, 507:	1 - 1 - 1 - 1 ball

Double pointed needles and circular needle size 3 and 3½ mm – US 2 or 3 and 4 – UK/Canadian 11 and 10 or 9

Gauge: 23 sts = approx. 10 cm/4 in over St st using needles size 3½ mm. **Check your gauge to ensure success.**

TIP! When working in a patt with 2 clrs, it's important to maintain the order of yarns over your finger. Always hold the darker clr in front throughout the whole project.

Using needles size 3 mm and off-white yarn, cast on 204-224-240-264 sts. Work in rib as foll:

1st rnd: Knit


2nd rnd: K2, P2.

Rep these 2 rnds until rib measures approx. 5-5-5-5 cm/2-2-2-2 in. Change to needles size 3½ mm. Cont working in rnds in St st. When work measures 43-43-44-44 cm/16.9-16.9-17.3-17.3 in (or as desired before armholes). Place markers at each side, 103 – 113 – 121 – 133 sts for front, and 101 – 111 – 119 – 131 sts for back. Bind off 12 sts at each side (6 sts both sides of the markers). Leave work aside, and knit the sleeves.

Sleeves: Using needles size 3 mm and off-white yarn, cast on 44 – 48 – 48 – 52 sts. Work in rib same as for body. Change to needles size 3½ mm. Work in St st, and inc evenly across 1st rnd number of sts to be 55 – 59 – 63 – 67 sts. Place a marker mid under sleeve. Inc 1 st both sides of the marker approx. every 3-3-3-3 cm/1.2-1.2-1.2-1.2 in. Rep inc until there is 83-87-91-95 sts on a rnd, and sleeve measures approx. 49-50-50-51 cm/ in, or as desired length. Bind off 12 sts mid under sleeve (6 sts both sides of the marker). Work same for the other sleeve.

Yoke: Slip all pieces on same circular needle, sleeves over the bound-off armhole sts = altog. 322-350-374-406 sts. Work 1 rnd in St st, and dec evenly across the rnd number of sts to be 312-348-372-396 sts. Beg from back, from right shoulder. Work in patt for yoke, and dec as charted (Note! Check from mid back where to beg patt). There is now 104-116-124-132 sts on a rnd. End as charted, but dec evenly across last rnd number of sts to be 96 – 104 – 108 – 116 sts. Cont working in rib with off-white yarn same as for body and sleeves.

When neckband measures approx. 7 cm/2.8 in, turn inside out. Purl 1 rnd, and cont working in rib same as before. When neckband measures approx. 15 cm/5.9 in, bind off in rib. Fold neckband in double on RS. Weave in all ends on WS. Sew underarm seams.



Viking Sportsragg

Sweater

1502-6

Size:	XS/S-M/L- XL			
Chest:	106	-	118	- 125 cm
	41.8-46.4-45.3 in			
Length:	66	-	68	- 70 cm
	26-26.8-27.6 in			
Sleeve length:	49	-	51	- 53 cm
	19.3-20.1-20.9 in			

ALTERNATIVE YARNS: Viking Superwash (100% wool, superwash), Viking Sportsragg (60% wool, 20% nylon, 20% acrylic), Viking Sportsgarn (100% wool), Viking Merino Superfine (100% merino wool, superwash), 50 g ball

Navy Blue, 526:	14 - 15 - 16 balls
Light Grey, 513:	3 - 3 - 4 balls
Brown, 519:	1 - 1 - 1 ball

Circular needle and double pointed needles size 3 and 3½ mm – US 2 or 3 and 4 – UK/Canadian 11 and 10 or 9

Gauge: 23 sts = approx. 10 cm/4 in over St st using needles size 3½ mm. **Check your gauge to ensure success.**

Using needles size 3 mm and navy blue yarn, cast on 238-262-280 sts. Work in rnds 5 cm/2 in in K1,P1 rib. Change to needles size 3 ½ mm. Work 1 rnd in St st, and inc evenly across number of sts to be 243-270-288 sts. Place markers at each side, 122-135-144 sts for front, and 121-135-144 sts for back. Cont working as foll:

Size XS/S: K1, *P3, K6*, rep *-* across the rnd, end with K5.

Sizes M/L and XL: K3, *P3, K6*, rep *-* across the rnd, end with K3.

Cont working as established, **but** knit all purl-sts every 2nd rnd (= Garter st). Cont working until work measures 41-42-43 cm/16.1-16.5-16.9 in, or as desired length before armholes.

Back: Cont working back and forth until work measures 5 cm/2 in less than total length, and armhole measures 20-21-22 cm/7.09-8.3-8.7 in. Note! Garter st back and forth: Knit every row. Bind off.

Front:

Cont working back and forth same as for back until armhole measures approx. 18-18-19 cm/7.3-7.3-7.5 in. Bind off 30-32-34 mid front sts. Finish each side separately.

Right front: Cont working back and forth same as before. Bind off at neck edge every 2nd row 1x3 sts, and 1x2 sts. When front measures same as back, bind off.

Left front: Work same as for right front, rev all shaping. Bind off.

Sleeves

Using needles size 3 mm and navy blue yarn, cast on 48-50-52 sts. Work in rnds 5 cm/2 in in rib same as for body. Change to needles size 3 ½ mm. Work 1 rnd in St st, and inc evenly across number of sts to be 67-69-71 sts. Place a marker mid under sleeve = beg of rnd, and another one mid on top. Work in patt I as charted. Check from marker mid top where to beg patt. Inc 1 st both sides of the marker mid under sleeve approx. every 1 ½ cm/0.6 in (same for all sizes). When patt I is ready, work 12-14-16 cm/4.7-5.5-6.3 in St st with navy blue yarn (or approx. 16 cm/ in less than desired length of the sleeve). Work in patt I as charted. When patt is ready, and there is 115-119-125 sts on a rnd, work 1 rnd with navy blue yarn. Slip 25 mid sts on holder, and bind off rem sts. Cont working back and forth in patt II over mid sts on holder = shoulder piece. Note: Knit first and last st every row = selvage sts. Cont working until shoulder piece measures same as front shoulder, approx. 18-20-22 cm/7.1-7.9-8.7 in. Bind off.

Work same for the other sleeve.

Finishing

Sew shoulder pieces neatly from RS to front and back. Sew rest of sleeve seams.


Neckband:

Using needles size 3 mm and navy blue yarn, pick or knit up 112-112-126 sts along neck edge. Work in rnds in patt III as charted. Purl 1 rnd = folding edge, and cont working in St st with navy blue yarn until work measures same as patt border. Bind off rather loosely.


Fold neckband in double, and sew on WS.

Weave in all ends on WS.

Pattern I




Pattern II



Mid shoulder

Pattern III



Repeat

Beg here

Viking Sportsragg Sweater

1502-7

Size:	XS- S- M-L- XL-XXL
Bust:	88 -95 -105 -112 -119 -128 cm 34.6-37.4-41.4-46.8-50.3 in
Sleeve length:	47 -48 -49 -50 -51 -51 cm 18.5-18.9-19.3-19.7-20.1-20.1 in
Length:	67 -68 -69 -70 -71 -71 cm

26.4-26.8-27.2-27.6-28-28 in

ALTERNATIVE YARNS: Viking Sportsragg (60% wool, 20% nylon, 20% acrylic), Viking Superwash (100% wool, superwash), Viking Sportsgarn (100% wool), Viking Merino Superfine (100% merinowool, superwash), 50 g ball

Blue, 527: 11 -12 -13 -14 -15 -16 balls
 White, 500: 3 -3 -3 -3 -4 -4 balls
 Brown, 519: 2 -2 -2 -2 -2 -2 balls
 Beige, 507: 2 -2 -2 -2 -2 -2 balls

Circular needle and double pointed needles size 3 and 3 ½ mm – US 2 or 3 and 4 – UK/Canadian 11 and 10 or 9

Gauge: 23 sts = approx. 10 cm/4 in over St st using needles size 3½ mm. **Check your gauge to ensure success.**

When working in a patt with 2 clr, it's important to maintain the order of yarns over your finger. Always hold the darker clr in front throughout the whole project.

Mini cable: Cable crossing without cable needle. Stick RH needle into the second st on LH needle, and knit it, then knit the first one, and slide them both off the left needle = 1 mini cable

Using needles size 3 mm and blue yarn, cast on 200-216-240-256-272-292 sts. Work in rnds 5 cm/2 in in mini cable rib (= 1 mini cable, P2). Change to needles size 3 ½ mm. Work 1 rnd in St st, and inc 2 sts evenly across the rnd (same for all sizes). Place markers at each side, 101-109-121-129-137-147 sts for both front and back. Cont working in St st. When work measures 40-41-39-40-41-41 cm/15.7-16.1-15.4-15.7-16.1-16.1 in, bind off at each side 12-12-14-14-14-14 sts for armholes = 6-6-7-7-7-7 sts both sides of the markers. Leave work aside, and knit sleeves.

Sleeves

Using needles size 3 mm and blue yarn, cast on 44-44-48-48-52-52 sts. Work in rib same as for body. Change to needles size 3 ½ mm. Work 1 rnd in St st, and inc evenly across number of sts to be 57-59-61-63-65-67 sts. Place a marker mid under sleeve = beg of rnd. Cont working in St st. Inc 1 st both sides of the marker approx. every 2-2-2-1 ½- 1 ½- 1 ½ cm/0.8-0.8-0.8-0.6-0.6-0.6 in until there is 97-101-105-109-113-115 sts on a rnd When sleeve measures the given length, or as desired, bind off on last rnd 12-12-14-14-14-14 sts mid under sleeve = 6-6-7-7-7-7 sts both sides of the marker.

Leave work aside, and knit same for the other sleeve.

Yoke

Slip all pieces on same circular needle size 3 ½ mm, with sleeves over the bound-off armhole sts = 348-372-396-420-444-468 sts. Work in patt I as foll: Beg from back, from right shoulder. Check from mid back where to beg patt. Dec as charted.

When patt I is ready, work 1 rnd in St st with brown yarn, and dec evenly across 28-24-20-20-28-24 sts number of sts to be 92-96-100-100-104-108 sts. Change to needles size 3 mm. Work in rib same as for body and sleeves. Purl 1 rnd, and work 5 cm/2 in K2,P2 rib. Bind off in rib.


Finishing:

Sew underarm seams.

Fold neckband in double, and sew on WS.

Weave in all ends on WS.

PATTERN I



Dec evenly across 36-36-42-42-48-48 sts
= 120-120-114-114-132-132 sts

Dec evenly across 48 sts (all sizes)
= 156-156-156-156-180-180 sts

Dec evenly across 48 sts (all sizes)
= 204-204-204-204-228-228 sts

Dec evenly across 48 sts (all sizes)
= 252-252-252-252-276-276 sts

Dec evenly across 24-24-48-48-48-48 sts
= 300-300-300-300-324-324 sts

Dec evenly across 24-24-24-48-48-48 sts
= 324-324-348-348-372-372 sts

Dec evenly across 0-24-24-24-48 sts
= 348-348-372-396-420-420 sts

Repeat

mid front

- = blue
- = beige
- = brown
- = white
- = Not worked for sizes XS and S

Viking Sportsragg

Sweater

1502-8

Size:	XS-S-M-L-XL-XXL
Bust:	84 -91 -96 -102 -110 -117 cm 33.1-35.8-37.8-43.3-44.1 in
Length:	64 -65 -66 -67 -68 -68 cm 25.2-25.6-26-26.4-26.8-26.8 in
Sleeve length:	48 -49 -50 -51 -52 -52 cm 18.9-19.3-19.7-20.1-20.5-20.5 in

ALTERNATIVE YARNS: Viking Sportsragg (60% wool, 20% nylon, 20% acrylic), Viking Superwash (100% wool, superwash), Viking Sportsgarn (100% wool), Viking Merino Superfine (100% merinowool, superwash), 50 g ball

Charcoal, 517: 10-11-11-12-12-13 balls
White, 500: 3 -3 -3 -4 -4 -4 balls

Knitting needles size 3 and 3½ mm – US 2 or 3 and 4 –
UK/Canadian 11 and 10 or 9

Gauge: 23 sts = approx. 10 cm/4 in over St st using needles size 3½ mm. **Check your gauge to ensure success.**

When working in a patt with 2 clrs, it's important to maintain the order of yarns over your finger. Always hold the darker yarn in front throughout the whole project.

Using needles size 3 mm and charcoal clr yarn, cast on 194 – 210 – 222 – 234 – 254 – 270 sts. Work in rnds approx. 6 cm/2.4 in in K1,P1 rib. Change to needles size 3 ½ mm. Work in St st. Place markers at each side, 97 – 105 – 111 – 117 – 127 – 135 sts for both front and back. When work measures approx. 42 cm/16.5 in (same for all sizes), bind off 10 sts at each side for armholes (5 sts both sides of the markers). Leave work aside, and knit the sleeves.

Sleeves:

Using needles size 3 mm and charcoal yarn, cast on 44 – 48 – 48 – 48 – 52 – 52 sts. Work in rnds approx. 6 cm/2.4 in in K1,P1 rib. Change to needles size 3 ½ mm. Work in St st, and inc evenly across 1st rnd number of sts to be 47 – 51 – 51 – 51 – 55 – 55 sts.

Place a marker beg of rnd. Inc 1 st both sides of the marker approx. every 2 ½ – 2 ½ – 2 – 2 – 2 – 2 cm/1-1-0.8-0.8-0.8-0.8 in. When sleeve measures approx. 40 – 41 – 42 – 43 – 44 – 44 cm/15.7-16.1-16.5-16.9-17.3-17.3 in, work in patt A. There is now 79 – 83 – 89 – 95 – 97 – 101 sts on a rnd, and sleeve measures approx. 48 – 49 – 50 – 51 – 52 – 52 cm/ in. Bind off on last rnd 10 sts mid under sleeve (5 sts both sides of the marker). Work same for the other sleeve.

Yoke:

Using charcoal yarn, knit all pieces on same circular needle, with sleeves over bound-off armhole sts (= 312 – 336 – 360 – 384 – 408 – 432 sts on a rnd), and work 0 – 2 – 1 – 2 – 4 – 5 rnds in St st over all sts. Beg from back, from right shoulder, and check from mid back where to beg patt. Work in patt B, and dec as charted. There is now 91 – 98 – 90 – 96 – 102 – 108 sts on a rnd


Neckband:

Change to needles size 3 mm. Work 2 rnds in St st, and dec evenly across 2nd rnd number of sts to be 90 – 90 – 90 – 96 – 102 – 108 sts. Cont working in rnds in K1,P1 rib until neckband measures approx. 7 – 7 – 7 – 8 – 8 – 8 cm./2.8-2.8-2.8-3.1-3.1-3.1 in. Bind off rather loosely in rib. Fold neckband in double, and sew on WS.


Finishing:

Sew underarm seams. Weave in all ends on WS.

PATTERN B



Pattern A



Viking Sportsragg

Sweater

1502-9

Size:	S- M- L		
Bust:	94	99	109 cm
	37-39-46.8 in		
Length:	64	65	67 cm
	25.1-25.6-26.4 in		
Sleeve length:	50	51	52 cm
	19.7-20.1-20.5 in		

ALTERNATIVE YARNS: Viking Superwash (100% wool, superwash), Viking Sportsragg (60% wool, 20% nylon, 20% acrylic), Viking Sportsgarn (100% wool), Viking Merino Superfine (100% merino wool, superwash), 50 g ball

White, 500:	7-8-9 balls
Red, 565:	2-2-2 balls
Charcoal, 517:	2-2-3 balls
Grey, 530:	1-1-1 ball

Circular needle and double pointed needles size 3 and 3½ mm – US 2 or 3 and 4 – UK/Canadian 11 and 10 or 9

Gauge: 23 sts = approx. 10 cm/4 in over St st using needles size 3 ½ mm. **Check your gauge to ensure success.**

When working in a patt with 2 clrs, it's important to maintain the order of yarns over your finger. Always hold the darker clr in front throughout the whole project.

Using needles size 3 mm and white yarn, cast on 216-228-252 sts. Work in rib as foll:

1st rnd: Knit

2nd rnd: K2, P2


Rep these 2 rnds until rib measures approx. 5-5-5 cm/2-2-2 in. Change to needles size 3½ mm. Cont working in rnds in St st and patt I as charted. Place markers at each side, 109-115-127 sts for front, and 107-113-125 sts for back. When patt I is ready, work in patt II until work measures approx. 43-43-44 cm/16.9-16.9-17.3 in. Bind off 12 sts at each side (6 sts both sides of the markers). Leave work aside, and knit the sleeves.


Sleeves

Using needles size 3 mm and white yarn, cast on 44-48-48 sts. Work approx. 5-5-5 cm/2-2-2 in in rib same as for body. Change to needles size 3½ mm. Work 1 rnd in St st, and inc evenly across number of sts to be 53-57-61 sts. Cont working in rnds in patt III as charted. Place a marker beg of rnd = mid under sleeve. Inc 1 st both sides of the marker approx. every 2-2-2 cm/0.8-0.8-0.8 in. When patt III is ready, work in patt IV, and after that in patt II (dots) until sleeve measures the given length, or as desired, and there is 97-101-105 sts on a rnd. Bind off 12 sts mid under sleeve (6 sts both sides of the marker). Leave work aside, and knit same for the other sleeve.

Yoke: Slip all pieces on same circular needle size 3 ½ mm, with sleeves over the bound-off armhole sts = 362-382-414 sts on a rnd. Place markers at each 4 seam line. Cont working in rnds in patt V as charted (check from mid of back, front and sleeves where to beg patt), and beg raglan-dec as foll: Work until 2 sts

rem before a marker, K2tbl, K2tog. Rep dec at each 4 seam line every 2nd rnd altog. 27-29-32 times = 146-150-158 sts rem. When patt V is ready, cont working in patt VI until the end. Work 1 rnd with red yarn, and dec evenly across number of sts to be 104-112-120 sts. Change to white yarn, and work 1 rnd in St st. Work in rib approx. 6 cm/2.4 in same as for body and sleeves. Bind off in rib. Sew underarm seams. Weave in all ends on WS.





+ 8 buttons

Gauge: 23 sts = approx. 10 cm/4 in over St st using needles size 3½ mm. **Check your gauge to ensure success.**

When working in a patt with 2 clrs, it's important to maintain the order of yarns over your finger. Always hold the darker clr in front throughout the whole project.

Using needles size 3 mm and light grey yarn, cast on 211 – 227 – 239 – 251 – 271 – 287 sts. Work back and forth 5 – 5 – 5 – 6 – 6 – 6 cm/2-2-2-2.4-2.4-2.4 in in K1,P1 rib. Make 1 buttonhole on last row to the right side, 3 sts inside front edge. Buttonhole: Bind off 3 sts. Next row: Cast on 3 new sts over the bound-off ones. Slip first and last 10 sts on holders = front band sts. Change to needles size 3½ mm. Work in St st, and inc evenly across 1st row number of sts to be 194 – 210 – 222 – 234 – 254 – 270 sts (front band sts not incl.). Cast on 4 new sts to the end of the row (= to be cut open later on, purl every row). Place markers at each side, 47 – 51 – 54 – 57 – 62 – 66 sts for both fronts, and 100 – 108 – 114 – 120 – 130 – 138 sts for back. Cont working in rnds in St st until work measures approx. 43 – 43 – 43 – 44 – 44 – 44 cm/ 16.9-16.9-16.9-17.3-17.3-17.3 in. Bind off on last rnd 10 sts at each side for armholes (5 sts both sides of the markers). Leave work aside, and knit the sleeves.

Sleeves:

Using needles size 3 mm and light grey yarn, cast on 44 – 48 – 48 – 48 – 52 – 52 sts. Work in rnds approx. 6 cm/2.4 in in K1,P1 rib. Change to needles size 3½ mm. Work in St st, and inc evenly across 1st rnd number of sts to be 47 – 51 – 51 – 51 – 55 – 55 sts.

Place a marker beg of rnd. Inc 1 st both sides of the marker approx. every 2½ – 2½ – 2 – 2 – 2 – 2 cm/1-1-0.8-0.8-0.8-0.8 in until there is 79 – 83 – 89 – 95 – 97 – 101 sts on a rnd, and sleeve measures approx. 48 – 49 – 50 – 51 – 52 – 52 cm/18.9-19.3-19.7-20.1-20.5-20.5 in. Bind off 10 sts mid under sleeve (5 sts both sides of the marker). Knit same for the other sleeve.

Yoke:

Knit all pieces on same circular needle, with sleeves over the bound-off armhole sts = 312 – 336 – 360 – 384 – 408 – 432 sts on a rnd. Work in patt A, and adjust number of sts on 1st rnd to be 311 – 335 – 359 – 383 – 407 – 431 sts.

There is now 92 – 85 – 91 – 97 – 103 – 109 sts on a rnd. Work 1 rnd in St st, and dec evenly across to be 85 – 85 – 89 – 93 – 99 – 103 sts. Leave work aside, and knit the front bands.

Finishing: Dampen work slightly from WS. Sew 2 dense zigzag seams mid front. Cut open between the seams. Sew normal zigzag over cut edges.

Front bands: Slip 10 front band sts without buttonhole on needles size 3 mm. Cast on 5 new sts with light grey to First buttonhole the edge facing the body for seam allowance (= work in St st). Cont working until front band measures up until neck edge (stretch slightly when measuring). Bind off seam allowance sts, and slip rem sts on holder.

Knit same for the other front band, but make 8 buttonholes. First buttonhole is already made, last one will be made on last row before neckband, and rest evenly spaced apart.

Neckband: Beg from right front band. Slip front band sts on needle size 2½ mm. Knit body sts with light grey yarn, and slip left front band sts on the needle. There is now 105 – 105 – 109 – 113 – 119 – 123 sts on a row. Cont working back and forth in K1,P1 rib. When neckband measures approx. 3 – 3 – 4 – 4 – 4 – 4 cm/1.2-1.2-1.6-1.6-1.6-1.6 in, bind off in rib first and last 10 sts. Cont working until neckband measures approx. 6 – 6 – 8 – 8 – 8 – 8 cm/2.4-2.4-3.1-3.1-3.1-3.1 in. Bind off in rib.

Viking Sportsragg

Cardigan

1502-10

Size: XS-S-M-L-XL-XXL

Bust: 87-94-99-105-113-120 cm

34.3-37-19-41.4-44.5-47.2 in

Length: 66 -67 -68 -69 -70 -70 cm

26-26.4-26.8-27.2-27.6-27.6 in

Sleeve length: 48 -49 -50 -51 -52 -52 cm

18.9-19.3-19.7-20.1-20.9-20.9 in

ALTERNATIVE YARN: Viking Sportsragg (60% wool, 20% nylon, 20% acrylic), Viking Superwash (100% wool, superwash), Viking Sportsgarn (100% wool), Viking Merino Superfine (100% merino wool, superwash), 50 g ball

Light Grey, 513: 13 -14 -14 -15 -16 -17 balls


White, 500: 1 -1 -1 -2 -2 -2 balls

Grey, 530: 1 -1 -1 -1 -1 -1 ball

Knitting needles size 3 and 3½ mm – US 2 or 3 and 4 – UK/Canadian 11 and 10 or 9

Finishing: Sew on front bands. Sew seam allowances over cut edges. Fold neckband in double, and sew on WS. Sew underarm seams. Sew on 8 buttons. Weave in all ends on WS.

PATTERN A



Viking Sportsragg

Sweater

1502-11

Size:	S-M-L-XL
Chest:	97 -107 -116 -128 cm 38.2-41.2-45.7-50.3 in
Length:	68 -69 -70 -71 cm 26.8-27.2-27.6-28 in
Sleeve length:	50 -51 -52 -54 cm 19.7-20.1-20.5-21.3 in

ALTERNATIVE YARNS: Viking Sportsragg (60% wool, 20% nylon, 20% acrylic), Viking Superwash (100% wool, superwash), Viking Sportsgarn (100% wool), Viking Merino Superfine (100% merino wool, superwash), 50 g ball

Black, 550:	13 -14 -15 -16 balls
White, 500:	2 -2 -3 -3 balls
Light Grey, 513:	1 -1 -2 -2 balls
Grey, 530:	2 -2 -2 -3 balls

Circular needle and double pointed needles size 3 and 3 ½ mm – US 2 or 3 and 4 – UK/Canadian 11 and 10 or 9

Gauge: 23 sts = approx. 10 cm/4 in over St st using needles size 3 ½ mm. **Check your gauge to ensure success.**

Using needles size 3 mm and black yarn, cast on 222-246-264-294 sts. Work in rnds 6 cm/1.2 in in K3,P3 rib. Change to needles size 3½ mm.

Work 1 rnd in St st, and adjust number of sts to be 222-246-266-294 sts. Place markers at each side, 111-123-133-147 sts for both front and back. Cont working in St st. When work measures 42 – 42 – 43 – 43 cm/16.5-16.5-16.9-16.9 in, bind off 12-12-14-14 sts at each side for armholes = 6-6-7-7 sts both sides of the markers. Leave work aside, and knit the sleeves.

Sleeves

Using needles size 3 mm and black yarn, cast on 42-48-48-54 sts. Work in rib same as for body. Change to needles size 3 ½ mm. Work 1 rnd in St st, and inc evenly across number of sts to be 57-61-65-69 sts. Place a marker mid under sleeve = beg of rnd. Cont working in St st. Inc 1 st both sides of the marker approx. every 2 cm/0.8 in (same for all sizes) until there is 99-105-111-115 sts on a rnd. When sleeve measures the given length, or as desired, bind off mid under sleeve 12-12-14-14 sts = 6-6-7-7 sts both sides of the marker.

Leave work aside, and knit same for the other sleeve.

Yoke


Slip all pieces on same circular needle size 3 ½ mm, with sleeves over the bound-off armhole sts = 372-408-432-468 sts. Work in patt I as charted. Beg from back, from right shoulder. Check from mid back where to beg patt. When patt I is ready, there is 124-136-144-156 sts on a rnd. Work 2 rnds in St st with white yarn, and dec evenly across 2nd rnd 28-34-42-48 sts = 96-102-102-108 sts rem. Change to needles size 3 mm. Cont working in K3,P3 rib with white yarn. When neckband measures 7 cm/2.8 in, bind off in rib.

Finishing:

Sew underarm seams.

Weave in all ends on WS.

PATTERN I



Viking Sportsragg

Finishing:

Sew underarm seams. Weave in all ends on WS.

Sweater

1502-12

Size:	XS-S-M-L-XL-XXL
Bust:	83 -90 -97 -104 -111 -118 cm
	32.7-35-38.2-41-43.7-46.1 in
Length:	64 -65 -66 -67 -68 -68 cm
	25.2-25.6-26-26.4-26.8-26.8 in
Sleeve length:	48 -49 -50 -51 -52 -52 cm
	18.9-19.3-19.7-20.1-20.5-20.5 in

ALTERNATIVE YARNS: Viking Sportsragg (60% wool, 20% nylon, 20% acrylic), Viking Superwash (100% wool, superwash), Viking Sportsgarn (100% wool), Viking Merino Superfine (100% merino wool, superwash), 50 g ball

Charcoal, 517:	10-11-11-12-12 -13 balls
White, 500:	2 -2 -3 -3 -4 -4 balls
Dark Grey, 530:	2 -2 -3 -3 -3 -3 balls
Light Grey, 513:	1 -1 -1 -2 -2 -2 balls

Knitting needles size 3 and 3½ mm – US 2 or 3 and 4 –
UK/Canadian 11 and 10 or 9

Gauge: 23 sts = approx. 10 cm/4 in over St st using needles size 3½ mm. **Check your gauge to ensure success.**

When working in a patt with 2 clrs, it's important to maintain the order of yarns over your finger. Always hold the darker clr in front throughout the whole project.

Using needles size 3 mm and charcoal yarn, cast on 192 – 208 – 224 – 240 – 256 – 272 sts. Work in rnds approx. 6 cm/2.4 in in K1,P1 rib. Change to needles size 3 ½ mm. Work in St sr. Place markers at each side, 97 – 105 – 113 – 121 – 129 – 137 sts for front, and 95 – 103 – 111 – 119 – 127 – 135 sts for back. When work measures approx. 41 – 42 – 42 – 42 – 42 – 42 cm/16.1-16.5-16.5-16.5-16.5-16.5 in, bind off 10 sts at each side for armholes (5 sts both sides of the markers). Leave work aside, and knit the sleeves.

Sleeves:

Using needles size 3 mm and charcoal yarn, cast on 44 – 48 – 48 – 48 – 52 – 52 sts. Work in rnds approx. 6 cm/2.4 in in K1,P1 rib. Change to needles size 3 ½ mm. Work in St st, and inc evenly across over 1st rnd number of sts to be 48 – 52 – 52 – 52 – 56 – 56 sts.

Place a marker beg of rnd. Inc 1 st both sides of the marker approx. every 2 ½ – 2 ½ – 2 – 2 – 2 – 2 cm/1-1-0.8-0.8-0.8-0.8 in until there is 80 – 84 – 88 – 92 – 96 – 100 sts on a rnd. When sleeve measures approx. 48 – 49 – 50 – 51 – 52 – 52 cm/18.9-19.3-19.7-20.1-20.5-20.5 in, bind off 10 sts mid under sleeve (5 sts both sides of the marker). Work same for the other sleeve.


Yoke:

Knit all pieces with charcoal yarn on same circular needle, with sleeves over the bound-off armhole sts (= 312 – 336 – 360 – 384 – 408 – 432 sts on a rnd). Work 0 – 0 – 2 – 2 – 5 – 5 rnds in St st over all sts. Beg from back, from right shoulder. Check from mid back where to beg patt I. Work in patt, and dec as charted. There is now 91 – 98 – 90 – 96 – 102 – 108 sts on a rnd.

Neckband:

Change to needles size 3 mm. Cont working with white yarn. Work 1 rnd in St st, and dec evenly across number of sts to be 90 – 90 – 90 – 96 – 102 – 108 sts. Cont working in K1,P1 rib until neckband measures approx. 7 – 7 – 7 – 8 – 8 – 8 cm/2.8-2.8-2.8-3.1-3.1-3.1 in. Bind off rather loosely in rib. Fold neckband in double, and sew on WS.

PATTERN I



- = Charcoal
- = Grey
- = Light Grey
- = White
- = K2tog

Viking Sportsragg

Cardigan

1502-13

Size:	S-M-L-XL-XXL
Bust:	89 -97 -105 -113 -121 cm 35-38.2-41.4-44.5-47.6 in
Length:	64 -65 -66 -67 -68 cm 25.2-25.6-26-26.4-26.8 in
Sleeve length:	48 -50 -51 -52 -52 cm 18.9-10.7-20.1-20.5-20.5 in

ALTERNATIVE YARN: Viking Sportsragg (60% wool, 20% nylon, 20% acrylic), Viking Superwash (100% wool, superwash), Viking Sportsgarn (100% wool), Viking Merino Superfine (100% merino wool, superwash), 50 g ball

Charcoal, 617:	12-12-13-14-14 balls
White, 600:	2 -2 -2 -3 -3 balls
Light Grey, 613:	2 -3 -3 -3 -3 balls

Knitting needles size 3 and 3½ mm – US 2 or 3 and 4 – UK/Canadian 11 and 10 or 9
+ 8 buttons

Gauge: 23 sts = approx. 10 cm/4 in over St st using needles size 3½ mm. **Check your gauge to ensure success.**

When working in patt with 2 clr, it's important to maintain the order of yarns over your finger. Always hold the darker clr in front throughout the whole project.

Using needles size 3 mm and charcoal clr yarn, cast on 219 – 237 – 255 – 273 – 291 sts. Work back and forth 5 – 5 – 6 – 6 – 6 cm/2-2-2.4-2.4-2.4 in in K1,P1 rib. Make 1 buttonhole to the right edge, inside 3 sts from front edge. Buttonhole: Bind off 3 sts. Next row: Cast on 3 new sts over the bound-off ones. Slip first and last 10 sts on holders = front band sts. Change to needles size 3½ mm. Work in patt A, and cast on 4 new sts to the end of 1st row (= to be cut open later on, purl every rnd). There is now 199 – 217 – 235 – 253 – 271 sts on a rnd (front band sts not incl). Place markers at each side, 48 – 53 – 57 – 62 – 66 sts for both fronts, and 103 – 111 – 121 – 129 – 139 sts for back. When patt A is ready, cont working in St st with charcoal clr yarn until work measures approx. 41 – 42 – 41 – 42 – 43 cm/16.3-16.5-16.3-16.5-16.9 in. Bind off on last rnd 10 sts at

each side for armholes (5 sts both sides of the markers). Leave work aside, and knit the sleeves.

Sleeves:

Using needles size 3 mm and charcoal clr yarn, cast on 44 – 48 – 48 – 52 – 52 sts. Work in rnds approx. 6 cm/2.4 in in K1,P1 rib. Change to needles size 3½ mm. Work in patt A, and inc evenly across 1st rnd number of sts to be 47 – 51 – 51 – 53 – 55 sts. Place a marker beg of rnd. Inc 1 st both sides of the marker approx. every 2 – 2 – 2 – 2 – 2 cm/0.8-0.8-0.8-0.8-0.8 in. When patt A is ready, cont working in St st with charcoal clr yarn until there is 89 – 93 – 95 – 99 – 101 sts on a rnd, and sleeve measures approx. 48 – 50 – 51 – 52 – 52 cm/18.9-19.7-20.1-20.9-20.9 in. Bind off on last rnd 10 sts mid under sleeve (5 sts both sides of the marker). Work same for the other sleeve.

Yoke:

Knit all pieces on same circular needle, with sleeves over the bound-off armhole sts = 337 – 363 – 385 – 411 – 433 sts on a rnd (sizes M and XL: Adjust across 1st rnd number of sts to be 361 and 409 sts). Work in patt B, and dec as charted. There is now 98 – 90 – 96 – 102 – 108 sts on a rnd. Cont working with charcoal yarn. Work 1 rnd in St st, and dec evenly across number of sts to be 87 – 89 – 93 – 99 – 103 sts. Leave work aside, and knit the front bands.

Finishing: Dampen work slightly from WS. Sew 2 dense zigzag seams mid front. Cut open between the seams. Sew normal zigzag over cut edges.


Front bands: Slip 10 front band sts without buttonhole on needles size 3 mm. Using charcoal clr yarn, cast on 5 new sts to the edge facing the body = seam allowance, work in St st. When front band measures up to neck edge (stretch slightly when measuring), bind off seam allowance sts, and slip rem sts on holder.

Work same for the other front band, but make 8 buttonholes. First buttonhole is already made, last one will be made on last row before neckband, and rest evenly spaced apart.

Neckband: Beg from right front band. Slip sts from holder over needles size 2 ½ mm. Using charcoal clr yarn, knit sts from body, and end with left front band sts. There is now 107 – 109 – 113 – 119 – 123 sts on a row. Cont working back and forth in K1,P1 rib. When neckband measures approx. 3 – 3 ½ – 4 – 4 – 4 cm/1.2-1.4-1.6-1.6-1.6 in, bind off in rib first and last 10 sts. Cont working until neckband measures approx. 6 – 7 – 8 – 8 – 8 cm/2.4-2.8-3.1-3.1-3.1 in. Bind off in rib.


Finishing: Sew on front bands. Sew seam allowances over cut edges. Fold neckband in double, and sew on WS. Sew underarm seams. Sew on 8 buttons. Weave in all ends on WS.

PATTERN B



- = Charcoal
- = White
- = Light Grey
- = K2tog

PATTERN A



Viking Sportsragg

Sweater

1502-14

Size:	S-M-L-XL
Chest:	106 -113 -120 -127 cm 41.8-44.5-27.2-50 in
Length:	66 -67 -69 -70 cm 26-26.4-27.2-27.6 in
Sleeve length:	48 -50 -52 -54 cm 18.9-19.7-20.5-21.3 in

ALTERNATIVE YARN: Viking Sportsragg (60% wool, 20% nylon, 20% acrylic), Viking Superwash (100% wool, superwash), Viking Alpaca Sport (30% alpaca, 40% merino wool, 30% nylon), Viking Sportsgarn (100% wool), Viking Merino Superfine (100% merino wool, superwash), 50 g ball

Grey, 530:	11 -12 -13 -14 balls
Charcoal, 517:	4 -4 -5 -5 balls
White, 500:	2 -2 -2 -3 balls
Blue, 527:	2 -2 -2 -3 balls
Light Grey, 513:	2 -2 -2 -3 balls

Knitting needles size 3 and 3½ mm – US 2 or 3 and 4 – UK/Canadian 11 and 10 or 9

Gauge: 23 sts = approx. 10 cm/4 in over St st using needles size 3½ mm. **Check your gauge to ensure success.**

When working in patt with 2 clrs, it's important to maintain the order of yarns over your finger. Always hold the darker clr in front throughout the whole project.

Using needles size 3 mm and grey yarn, cast on 244 – 260 – 276 – 292 sts. Work in rnds approx. 6 cm/2.4 in in K1,P1 rib. Change to needles size 3 ½ mm. Work in St st. Place markers at each side, 123 – 131 – 139 – 147 sts for front, and 121 – 129 – 137 – 145 sts for back. When work measures approx. 42 cm/16.5 in (same for all sizes), bind off 10 sts at each side for armhole (5 sts both sides of the markers). Leave work aside, and knit the sleeves.

Sleeves:

Using needles size 3 mm and grey yarn, cast on 48 – 52 – 52 – 54 sts. Work in rnds approx. 6 – 6 – 7 – 7 cm/2.4-2.4-2.8-2.8 in in K1,P1 rib. Change to needles size 3 ½ mm. Cont working in St st, and inc evenly across 1st rnd number of sts to be 54 – 58 – 58 – 60 sts.

Place a marker beg of rnd. Inc 1 st both sides of the marker approx. every 1 ½ cm/0.6 in (same for all sizes) until there is 102 – 106 – 110 – 114 sts on a rnd, and sleeve measures approx. 48 – 50 – 52 – 54 cm/18.9-19.7-20.5-21.3 in.

Bind off on last rnd 10 sts mid under sleeve (5 sts both sides of the marker). Work same for the other sleeve.

Yoke:

Knit all pieces with grey yarn on same circular needle size 3½ mm, with sleeves over the bound-off armhole sts (= 408 – 432 – 456 – 480 sts on a rnd), and work 0 – 0 – 3 – 5 rnds in St st. Beg from back, from right shoulder, and check from mid back where to beg patt I. Work in patt, and dec as charted. There is now 119 – 108 – 114 – 120 sts on a rnd.


Neckband:

Change to needles size 3 mm. Work 1 rnd in St st, and dec evenly across number of sts to be 102 – 106 – 112 – 116 sts. Cont working in K1,P1 rib until neckband measures approx. 7 – 7 – 8 – 8 cm/2.4-2.4-3.1-3.1 in. Bind off rather loosely in rib. Fold neckband in double, and sew on WS.

Finishing:

Sew underarm seams. Weave in all ends on WS.

PATTERN I



- = Grey
- = Charcoal
- = Blue
- = Light Grey
- = White
- K2tog

 = K2tog

Viking Sportsragg

Sweater

1502-15

Size:	S-M/L-XL/XXL
Bust:	97 -111 -125 -139 cm 38.2-43.5-49.2-54.7 in
Length:	67 -68 -69 -69 cm 26.4-26.8-27.2-27.2 in
Sleeve length:	48 -50 -51 -52 cm 18.9-19.7-20.1-20.1 in

ALTERNATIVE YARN: Viking Sportsragg (60% wool, 20% nylon, 20% acrylic), Viking Superwash (100% wool, superwash), Viking Sportsgarn (100% wool), Viking Merino Superfine (100% merino wool, superwash), 50 g ball

Off-White, 502:	11 -12 -13 -14 balls
Grey, 530:	4 -5 -5 -6 balls

Circular needle and double pointed needles size 3 and 3 ½ mm – US 2 or 3 and 4 – UK/Canadian 11 and 10 or 9

Gauge: 23 sts = approx. 10 cm/4 in over St st using needles size 3 ½ mm. **Check your gauge to ensure success.**

Using needles size 3 mm and white yarn, cast on 212-244-274-306 sts. Work in rnds 5 cm/2 in in K1,P1 rib. Change to needles size 3 ½ mm. Work 1 rnd in St st, and inc evenly across 12-12-14-14 sts number of sts to be 224-256-288-320 sts. Place a marker at each side, 113-129-145-161 sts for front, and 111-127-143-159 sts for back.

Cont working in patt I as charted. When work measures the given length, or as desired, bind off.

Sleeves


Using needles size 3 mm and off-white yarn, cast on 44-46-48-50 sts. Work 5 cm/2 in in rnds in K1,P1 rib. Change to needles size 3 ½ mm. Work 1 rnd in St st, and evenly across number of sts to be 57-59-61-63sts. Place a marker mid under sleeve = beg of rnd. Cont working in St st. Inc 1 st both sides of the marker approx. every 1 ½-1 ½ -1-1 cm/0.6-0.6-0.4-0.5 in until there is 111-119-125-129 sts on a rnd. When sleeve measures 48-50-51-52 cm/18.9-19.7-20.1-20.1 in, or as desired, turn work inside out, and work 2 cm/0.8 in in St st for seam allowance. Bind off rather loosely. Work same for the other sleeve.

Finishing

Dampen work slightly from WS. Sew 2 dense zigzag seams around armholes (measure width from sleeve top). Cut open between seams. Sew normal zigzag over cut edges. Join shoulder seams, 34-40-47-54 sts for each shoulder. Sew a slightly curving marker thread for neck edge, mid front approx. 6-6-7-7 cm/2.4-2.4-2.8-2.8 in below the upper edge. Knit up with off-white yarn along neck edge approx. 59-61-65-67 sts (check that patt is the same both sides of neck edge), + sts from back = 102-108-114-118 sts. Work 1 rnd in St st, and cont after that in K1,P1 rib until neckband measures approx. 8 cm/3.1 in. Bind off rather loosely in rib

Sew 2 dense zigzag seams along neckedge, inside neckband. Cut off all extras. Sew normal zigzag over cut edges. Fold neckband in double over cut edges, and sew on WS. Sew on sleeves. Sew seam allowances over cut edges. Weave in all ends on WS.

Pattern I



Viking Sportsragg

Cardigan

1502-16

Size:	XS-S/M-L-XL/XXL
Bust:	88 -102 -116 -129 cm 34.6-40.2-43.8-50.7 in
Length:	70 -71 -72 -73 cm 27.6-28-28.3-28.7 in
Sleeve length:	48 -50 -51 -51 cm 18.9-19.7-20.1-20.1 in

ALTERNATIVE YARNS: Viking Sportsragg (60% wool, 20% nylon, 20% acrylic, Viking Superwash (100% wool, superwash), Viking Sportsgarn (100% wool), Viking Merino Superfine (100% merino wool, superwash), 50 g ball

Grey, 530: 11-12-13-14 balls
Off-White, 502: 5 -6 -6 -7 balls

Circular needle and double pointed needles size 3 and 3 ½ mm
+ 7 - 7 - 8 - 8 buttons

Gauge: 23 sts = approx. 10 cm/4 in over St st using needles size 3 ½ mm. **Check your gauge to ensure success.**

Using needles size 3 mm and grey yarn, cast on 193-225-257-289 sts. Work back and forth 5 cm/2 in 1 st with white, and 1 st with grey yarn, forming vertical stripes. Make a buttonhole on last row at right edge, inside 3 sts from front edge. Buttonhole: Bind off 3 sts. Next row: Cast on 3 sts over the bound-off ones. Slip first and last 9 sts on holders = front band sts. Change to needles size 3 ½ mm. Work 1 rnd in St st, and inc evenly across 18 sts the number of sts to be 193-225-257-289 sts (front band sts not incl). Cast on 4 new sts to the end of the rnd = to be cut open, purl every rnd. Place markers at each side, 46-54-62-70 sts for each front, and 101-117-133-149 sts for back.

Cont working in patt I as charted. Work until body measures the given length, or as desired. Bind off.

Sleeves

Using needles size 3 mm and grey yarn, cast on 44-46-48-50 sts. Work in rnds 5 cm in stripes, same as for body. Change to needles size 3½ mm

and grey yarn. Work 1 rnd in St st, and inc evenly across number of sts to be 57-59-61-63 sts. Place a marker beg of rnd = mid under sleeve. Cont working in St st. Inc 1 st both sides of the marker approx. every 1 ½ -1 ½ -1 ½ -1 ½ cm/0.6-0.6-0.6-0.6 in until there is 107-115-119-125 sts on a rnd. When sleeve measures the given length, or as desired, turn sleeve inside out. Work 2 cm/0.8 in in St st for seam allowance. Bind off rather loosely. Work same for the other sleeve.

Finishing

Dampen work slightly from WS. Sew 2 dense zigzag seams mid front and around the armholes (measure width from sleeve top). Cut open between the seams. Sew normal zigzag over cut edges. Join shoulder seams, and leave approx. 17-18-19-19 cm/ 6.7-7.1-7.5-7.5 in mid front and back for neck edge.

Left front band

Slip 9 front band sts on needles size 3 mm. Cont working in stripe patt, and cast on 5 new sts to the edge facing the body = seam allowance, work in St st with grey yarn. Cont working until front band measures 7-7-8-8 cm/2.8-2.8-3.1-3.1 in less than the body. Take care that front band doesn't turn out to be too long. Bind off seam allowance sts.

Right front band

Work same as for left front band, but make 7-7-8-8 buttonholes. First buttonhole is already made, last one will be made on last row before neckband, and rest evenly spaced apart. Bind off seam allowance sts.

Neck band

Sew a lightly curving marker thread for neck edge, mid front approx. 7-7-8-8 cm/ 2.4-2.4-3.1-3.1 in below the upper edge. Knit up with grey yarn sts along the marked neck edge + sts from back and front bands, approx. 111-117-121-127 sts (check that patt is the same both sides of the neck edge). Cont working back and forth in stripe patt same as for body and sleeves until neckband measures approx. 4 cm/1.6 in. Bind off front band sts, and purl 1 row with grey yarn from RS. Work 4 cm/1.6 in in St st with grey yarn. Bind off rather loosely.

Sew 2 dense zigzag seams along neck edge, inside neckband. Cut off all extras. Sew normal zigzag over cut edges. Fold neckband in double over cut edges, and sew on WS. Sew on sleeves. Sew seam allowance over cut edges. Sew on front bands. Sew seam allowances over cut edges. Weave in all ends on WS.

Sew on buttons.

Pattern I

