

Viking Alpaca Sport

Sweater with yoke

1106-1

Size:	S	M	L
Bust: approx.	96	104	113 cm
	38.8	41	44.5 in
Length: approx.	67	69	69 cm
	26.4	27.2	27.2 in
Sleeve length: approx	47	47	48 cm
	18.5	18.5	18.9 in

ALTERNATIVE YARN: Viking Alpaca Sport (40% wool, 30% alpaca, 30% nylon), Viking Sportsgarn (100% wool), Viking Superwash (100% wool, superwash), Viking Sportsragg (60% wool, 20% acrylic, 20% nylon), 50 g ball

Dark Grey, 615	14	15	16 balls
White, 600	1	1	1 ball
Black, 603	1	1	1 ball
Light Grey, 613	2	2	2 balls

Circular knitting needles and double pointed knitting needles size 3 and 3½ mm – US 2 or 3 and 4 – UK/Canadian 11 and 10 or 9

Gauge: 23 sts = approx. 10 cm (4 in) over St st using needles size 3½ mm. **Check your gauge to ensure success.**

SWEATER

Using needles size 3 and dark grey yarn, cast on 220-240-260 sts. Work in rnds 7 cm (2.8 in) in K2,P2 rib. Change to needles size 3½ mm, and cont working in St st with dark grey yarn. Place markers each side 111-121-131 sts for front, and 109-119-129 sts for back. When work measures approx. 42-43-43 cm (16.5 – 16.9 – 16.9 in), bind off 12 sts each side (6 sts both sides of the markers). Set the piece a side, and knit the sleeves.


Sleeves

Using needles size 3 and dark grey yarn, cast on 44-48-52 sts. Work in rib same as for body. Change to needles size 3½ mm. K 1 rnd, adjusting the number of sts evenly across the rnd to be 57-61-65 sts. Cont working in rnds in St st with dark grey yarn. Place a marker mid under arm. Inc 1 st both sides of the marker approx. every 2½-2½-2 cm (1- 1- 0.8 in) until you have 89-93-99 sts on a rnd. When work measures the given length, or as desired, bind off 12 sts mid under arm (6 sts both sides of the marker). Slip sts on holder, and work same for the other sleeve.

Yoke: Slip all sts on same circular needle with sleeves over the bound-off sts for armholes = 350-378-410 sts on a rnd. K 1 rnd, adjusting the number of sts evenly across the rnd to be 340-360-380 sts. Cont working and dec as charted, patt 1-2-3-4-5-6 and 7. When patterns are completed, 112-120-128 sts rem on a rnd.


Change to needles size 3 and light grey yarn. Adjust the number of sts evenly across first rnd to be 104-112-120 sts. Cont working in K2,P2 rib. When collar measures approx. 7 cm (2.8 in), bind off rather loosely. Fold collar in double, and sew loosely on WS. Sew underarm seams. Weave in all ends on WS.

PATTERN 7




← dec evenly across the rnd
8-12-16 sts = 112-120-128 sts

PATTERN 8




← dec evenly across the rnd
8-12-16 sts = 120-132-144 sts

PATTERN 5




← dec evenly across the rnd
40 sts = 128-144-160 sts

PATTERN 4



← dec evenly across the rnd
40 sts = 168-184-200 sts


PATTERN 3



← = 208-224-240 sts


← = 234-252-270 sts

PATTERN 2



← dec evenly across the rnd
40 sts = 260-280-300 sts

PATTERN 1



← dec evenly across the rnd
40 sts = 300-320-340 sts

← = 340-360-380 sts

- = dark grey
- = light grey
- = black
- = white

Viking Alpaca Sport

Sweater with yoke

1106-2

Size:	S	M	L
Bust: approx.	82	90	98 cm
	32.3	35.4	38.6 in
Length: approx.	67	69	69 cm
	26.4	27.2	27.2 in
Sleeve length: approx.	47	47	48 cm
	18.5	18.5	18.9 in

ALTERNATIVE YARN: Viking Alpaca Sport (40% wool, 30% alpaca, 30% nylon), Viking Sportsgarn (100% wool), Viking Superwash (100% wool, superwash), Viking Sportsragg (60% wool, 20% acrylic, 20% nylon), 50 g ball

Red, 650 c	13	14	15 balls
White, 602	1	1	1 ball

Circular needle and double pointed needles size 3 and 3½ mm – US 2 or 3 and 4 – UK/Canadian 11 and 10 or 9

Gauge: 23 sts = approx. 10 cm (in) over St st using needles size 3½ mm. **Check your gauge to ensure success.**

SWEATER


Using needles size 3 mm and red yarn, cast on 216-232-256 sts. Work in rnds 7 cm (2.8 in) in K2,P2 rib. Change to needles size 3½ mm. K 1 rnd. Place markers each side, 109-117-129 sts for front, and 107-115-127 sts for back. Beg from side, and work cable patt mid front and back as foll: K26-30-36, work over next 57 sts cable patt as charted, K26-30-36. Work same for back, but K25-29-35 on each side of the cable patt. Cont working as established until work measures approx. 10-11-11 cm (4-4.3-4.3 in). Dec 1st both sides of the markers (= 4 sts are dec), rep dec approx. every 5th rnd altog. 11-11-12 times = 172-188-208 sts. When work measures 35-36-36 cm (13.8-14.2-14.2 in), inc. 1 st both sides of the markers every 5th rnd 4 times = 188-204-224 sts. Cont working in St st and cable patt until work measures approx. 39-40-40 cm (15.4-15.7-15.7 in). K 1 rnd, adjusting evenly across the rnd the number of sts to be 184-200-224 sts. Work in patt I as charted. K 1 rnd using red yarn, and bind off 12 sts each side (6 sts both sides of the markers). Set work aside, and knit the sleeves.

Sleeves


Using needles size 3 mm and red yarn, cast on 44-48-52 sts. Work in rib same as for body. K 1 rnd, adjusting evenly across the rnd the number of sts to be 56-60-64 sts. Cont working in rnds in St st and red yarn. Place a marker mid under arm (= p each rnd). Inc 1 st each side of the p-st approx. every 3½ cm (1.4 in) (same for all sizes) until you have 80-84-88 sts on a rnd.

When sleeve measures approx. 3 cm (1.2 in) less than the given length, or desired length, work in patt I as charted (check from mid st where to beg the patt). K 1 rnd with red yarn, and bind off 13 sts mid under arm (6 sts both sides of the marker + p-st). Slip sts on holder and work same for the other sleeve.

Yoke: Slip all sts on same circular needle with sleeves over bound-off sts for armholes = 294-318-350 sts on a rnd. K 1 rnd, adjusting evenly across the rnd the number of sts to be 288-320-336 sts. Cont working and dec in rnds in patt II as charted. When patt is ready, there are 216-240-252 sts on a rnd. Cont working in St st with red yarn, adjusting evenly across the rnd the number of sts to be 216-240-248 sts. Dec as foll: *K6, K2tog*, rep *-* across the rnd. Rep dec every 5th-6th-6th rnd with 1 st less between dec altog. 4 times = 108-120-124 sts rem on a rnd. Change to needles size 3 mm, and cont working in rnds in K2,P2 rib in red yarn. When collar measures 7 cm (2.8 in), bind off. Sew underarm seams. Weave in all ends on WS.



CABLEPATTERN OVER 57 STS



□ = K on RS, P on WS

◻ = P on RS, K on WS

▧ = sl 1 st on cn, hold to front. K1, K sts from cn.

▨ = sl 3 sts on cn, hold to back. K3, K sts from cn.

▩ = sl 3 sts on cn, hold to front. K3, K sts from cn.

Viking Alpaca Sport

Sweater with yoke

1106-3

Size:	S	M	L
Bust: approx.	82	89	97 cm
	32.3	35	38.2 in
Length: approx.	67	69	69 cm
	26.4	27.2	27.2 in
Sleeve length: approx.	47	47	48 cm
	18.5	18.5	18.9 in

ALTERNATIVE YARN: Viking Alpaca Sport (40% wool, 30% alpaca, 30% nylon), Viking Sportsgarn (100% wool), Viking Superwash (100% wool, superwash), Viking Sportsragg (60% wool, 20% acrylic, 20% nylon), 50 g ball

Black, 603	12	13	14 balls
White, 602	1	1	1 ball
Grey, 615	1	1	1 ball
Beige, 607	1	1	1 ball

Circular needles and double pointed needles size 3 and 3½ mm – US 2 or 3 and 4 – UK/Canadian 11 and 10 or 9

Gauge: 23 sts = approx. 10cm (4 in) over St st using needles size 3½ mm. **Check your gauge to ensure success.**

SWEATER


Using needles size 3 mm and black yarn, cast on 216-232-256 sts. Work in rnds 7 cm (2.8 in) K2,P2, rib, but work every 2nd rnd work k-sts as foll: sl1 st on cn, hold to front, K1, K1 from cn. Change to needles size 3½ mm. K 1 rnd. Work in patt I as charted. Cont working in St st and black yarn. Place markers each side, 109-117-129 sts for front, and 107-115-127 sts for back. When work measures approx. 10-11-11 cm (4-4.3-4.3 in), dec 1 st both sides of the markers (= 4 sts are dec) approx. every 5th rnd altog. 11-11-12 times = 172-188-208 sts. When work measures 35-36-36 cm (13.8-14.2-14.2 in), inc 1 st both sides of the markers every 5th rnd 4 times = 188-204-224 sts. Cont working in St st and black yarn until work measures approx. 42-43-43 cm (16.5-16.9-16.9 in). Bind off 12 sts each side (6 sts both sides of the markers). Put the piece aside, and knit the sleeves.

Sleeves

Using needles size 3 mm and black yarn, cast on 44-48-52 sts. Work in rib same as for the body. K 1 rnd, adjusting evenly across the rnd the number of sts to be 57-61-65 sts. Work patt I as charted. Cont working in St st and black yarn. Place a marker mid under arm. Inc 1 st each side of the marker approx. every 3½

cm (1.4 in) (same for all sizes) until you have 79-83-87 sts on a rnd. When sleeve measures the given length, or desired length, bind off 12 sts mid under arm (6 sts both sides of the marker). Slip sts on holder, and work same for the other sleeve..

Yoke: Slip all sts on same circular needle with sleeves over the bound-off sts for armholes = 298-322-350 sts on a rnd. K 1 rnd, adjusting evenly across the rnd the number of sts to be 288-320-336 sts. Cont working and dec in rnds in patt II as charted. When patt is ready, and you have 216-240-252 sts on a rnd, cont working in St st and black yarn. At the same time, adjust evenly across the rnd the number of sts to be 216-240-248 sts. Cont dec as foll: *K6, K2tog*, rep *-* across the rnd. Rep dec every 5th-6th-6th rnd with 1 st less between each dec altog. 4 times = 108-120-124 sts rem on a rnd. Change to needles size 3 mm, and work approx. 7 cm (2.8 in) in cabled rib (same as for body). Bind off. Sew underarm seams. Weave in all ends on WS.



Viking Alpaca Sport

Hoodie

1106-4

Size:	S	M	L
Bust: approx.	92	102	110 cm
	36.2	40.2	43.3 in
Length: approx.	67	68	70 cm
	26.4	26.	27.6 in
Sleeve length: approx.	49	50	50 cm
	19.3	19.7	19.7 in

ALTERNATIVE YARN: Viking Alpaca Sport (40% wool, 30% alpaca, 30% nylon), Viking Sportsgarn (100% wool), Viking Superwash (100% wool, superwash), Viking Sportsragg (60% wool, 20% acrylic, 20% nylon), 50 g ball

Grey, 615	14	15	16 balls
Off-White, 602	2	2	2 balls

Double pointed needles and circular needle size 3 and 3½ - US 2 or 3 and 4 - UK/Canadian 11 and 10 or 9 + zipper

Gauge: 23 sts = approx. 10 cm (4 in) over St st using needles size 3½ mm. **Check your gauge to ensure success**

HOODIE

Using needles size 3 mm and grey yarn, cast on 190-206-230 sts. Work back and forth 7 cm (2.8 in) in K2,P2 rib. Change to needles size 3½ mm. K 1 row, adjusting evenly across the row the number of sts to be 199-221-243 sts. Place markers each side, 103-115-125 sts for back, and 48-53-59 sts for both fronts. Cast on 5 new sts mid front (= p each rnd, will be eventually cut open between the sts). There is now 204-226-248 sts on a rnd. From here on, these 5 new sts are not included in the number of sts. Cont working in St st and grey yarn (5 mid front sts are worked in p) until work measures approx. 26-27-29 cm (10.2-10.6-11.4 in). Beg mid front and work in patt as charted: Patt I over 33 sts, rep patt II next 133-155-177 sts (end patt as charted), patt III as charted over rem sts. Cont working sts as established, **but** P5 mid sts. When patt is ready, (Viking of Norway) is worked as charted (use small balls of yarn, and break yarn before each rnd). Note! Text is worked only on front pieces. Cont working in St st until work measures approx. 60-61-63 cm (23.6-24-24.8 in). Bind off for front neck edge 20-24-24 sts (incl. 5 mid sts). Cont working back and forth. Bind off at each edge every 2nd row 2x3 (same for all sizes), 2-3-3x2, and 2-2-2x1 st. When work measures 67-68-70 cm (26.4-26.8-27.6 in), bind off sts.

Sleeves

Using dpn size 3 mm and grey yarn, cast on 52-52-56 sts. Work 7cm (2.8 in) in K2,P2 rib (same for all sizes). Change to dpn size 3½ mm. K 1 rnd, adjusting evenly across the rnd the number of sts to be 71-75-75 sts. Work in patt for sleeve as charted. When patt is ready, cont working in St st and grey yarn, **but** p last st. Inc 1 st both sides of the p-st approx. every 2½-2½-2 cm (1-1-

0.8 in) until you have 101-105-111 sts on a rnd. When work measures the given length, or as desired, turn inside out, and work 2 cm (0.8 in) in St st using grey yarn (= seam allowance). Bind off. Work same for the other sleeve.


Finishing: Mark the armholes (approx. 22-23-24 cm (8.7-9.1-9.4 in) on each side (see side markers), or take the measurement from the sleeve top. Sew 2 machine seams round both armholes and mid front, and clip open between the seams. Sew shoulder seams.

Left front band: Using needles size 3 mm and grey yarn, pick or knit up approx. 136-140-144 sts along front edge. Work 4 rows in St st, bind off. Using needles size 3 mm and grey yarn, pick or knit up from WS approx. 136-140-144 sts. Work 4 rows in St st. Bind off. Work same for left band.

Neck border: Using short circular needle size 3 mm and grey yarn, pick or knit up approx. 134-138-142 sts along neck edge (also from the top ends of the front edge bands). Work approx. 3 cm (1.2 in) in K2,P2 rib. K 1 row (= WS = folding edge) + 3 cm (1.2 in) in rib. Bind off rather loosely in rib. Fold neck border in double, and sew on WS:

Hood: Using needles size 3½ mm and grey yarn, cast on 158 sts. Work back and forth 3 cm (1.2 in) in K2,P2 rib. K 1 rnd (= WS = folding edge) + 3 cm (1.2 in) in rib. Cont working back and forth in St st, until work measures approx. 5 cm (2 in), measured from the folding edge. Bind off 1 st at each edge every 4th row altog. 8 times = 142 st. Cont working without dec until work measures approx. 30 cm (11.8 in) measured from folding edge. Bind off rather loosely, or slip sts on holder. Fold the front edge in double, and sew on WS. Fold hood in double, and join mid back seam. Sew the hood inside neck order, beg from mid back (don't sew to front bands). Sew on the sleeves, and sew the seam allowance on WS to cover the seam. Sew zipper between front edge bands.

PATTERN II



PATTERN FOR SLEEVE





■ = grey
□ = off-white

= mid sleeve

PATTERN I, RIGHT FRONT

PATTERN II, LEFT FRONT



■ = grey
□ = white

Beg here,
right front

End here, left front

Viking Alpaca Sport

Man's cabled sweater

1106-5

Size:	S	M	L	XL	
Chest, approx.	98	105	110	119	cm
	38.6	41.4	43.3	46.8	in
Length, approx.	66	68	70	70	cm
	26	26.8	27.6	27.6	in
Sleeve length, approx.	50	51	52	52	cm
	19.7	20.1	20.5	20.5	in

ALTERNATIVE YARN: Viking Alpaca Sport (30 % alpaca, 40 % wool, 30 % nylon). Viking Sportsragg (60 % wool, 20 % nylon, 20 % acrylic). Viking Superwash (100 % wool, superwash). Viking Sportsgarn (100 % wool), 50 g ball

Beige, 607 15 16 16 17 balls

Circular needle and double pointed needles size 3 ½ mm – US 4 – UK/Canadian 10 or 9

Gauge: 23 sts = approx. 10 cm (4 in) over St st using needles size 3 ½ mm. **Check your gauge to ensure success.**

PATTERN – Doule Seed St
In rnds:
1st and 2nd rnd: *K1, P1*, rep across the rnd
3rd and 4th rnd: *P1, K1*, rep across the rnd
 Rep 1st-4th rnd

Back and forth:
1st row: *K1, P1*, rep across the row
2nd and 3rd row: *P1, K1*, rep across the row
4th row: *K1, P1*, rep across the row
 Rep 4th row

SWEATER

Using needles size 3 ½ mm, cast on 220-236-248-268 sts- Work approx. 4-4-5-5 cm (1.6-1.6-2-2 in) in K2,P2 rib. K1 rnd, adjusting evenly across the rnd to be 226-242-254-274 sts. Place markers each side, 113-121-127-137 sts for both back and front. Beg from front, and work as foll: 32-36-39-44 sts in Double Seed st, 8 sts in St st, patt over 33 sts, 8 sts in St st, 32-36-39-44 sts in Double Seed st. Back is worked in Double Seed st. When work measures approx. 43-44-45-44 cm (16.9-17.3-17.7-17.3 in), bind off 12 sts for armholes at each side (6 sts both sides of the markers). Finish back and front separately.

Back

Cont working back and forth in Double Seed st. Bind off at each edge every 2nd row 1x3, 1x2, and 1x1 m 1 st. When work measures approx. 66-68-70-70 cm (26-26.8-27.6-27.6 in), bind off rather loosely.

Front

Cont working back and forth in established patt. Bind off at each edge same as for back. When work measures approx. 57-59-61-61 cm (22.4-23.2-24-24 in), bind off the mid st for V-neck. Finish each side separately. Dec 1 st each row at neck edge [right front: K2tog2] and [left front: S11, K1, pss0]. Rep dec altog 25 times (same for all sizes) =19-23-26-31 sts rem for shoulder. Bind off when work measures same as back.

Sleeves

Using needles size 3 ½ mm, cast on 44-44-48-48 sts. Work in rib

same as for the body. K 1 rnd, adjusting evenly across the rnd the number of sts to be 67-69-71-73 sts. Place a marker beg of rnd. Cont working as foll: 24-25-26-27 sts in Double Seed st, 3 sts in St st, patt over 13 sts, 3 sts in St st, 24-25-26-27 sts in Double Seed st. Inc 1 each side of the marker approx. every 2. cm (0.8 in) (same for all sizes) until you have altog. 105-111-115-119 sts on a rnd (inc sts are worked in Double Seed st). When work measures the given length, or as desired, bind off 12 sts mid under arm (6 sts both sides of the marker). Cont working back and forth, and bind off at each edge every 2nd row 1x3, 1x2, 1x1 st. Bind off. Work same for the other sleeve.

Finishing


Sew shoulder seams.

Neck border

Beg mid back, and pick or knit up around the neck edge approx. 105 sts (same for all sizes – number of sts must be multiple with 4 + 1). Place a marker mid front. Work approx. 3-3-4-4 cm (1.2-1.2-1.6-1.6 in) in rib, and dec 1 st each side of the marker every rnd (K mid st every rnd, P2 each side of the mid st, check from mid st where to beg the rib). Bind off in rib.

Sew on the sleeves. Weave in ends on WS.

Dampen the garment slightly, and stretch into mearurements.



☐ = Ktbl on RS, Ptbl on WS

☐ = P on RS, K on WS

☐☐☐☐ = Sl 4 sts on cn, and hold to back, work next 3 sts as foll: K1tbl, P1, K1tbl, work sts from cn as foll: (P1, P1tbl) x2

Viking Alpaca Sport

Hoodie

1106-6

Size:	S	M	L
Bust: approx.	94	110	115 cm
	37	43.3	45.3 in
Length: approx.	67	68	70 cm
	26.4	26.8	27.6 in
Sleeve length: approx.	48	49	50 cm
	18.9	19.3	19.7 in

ALTERNATIVE YARN: Viking Alpaca Sport (40% wool, 30% alpaca, 30% nylon), Viking Sportsgarn (100% wool), Viking Superwash (100% wool, superwash), Viking Sportsragg (60% wool, 20% acrylic, 20% nylon), 50 g ball

Light Blue, 620	7	7	8 balls
Grey, 615	8	9	10 balls
White, 602	2	2	2 balls
Black, 603	1	1	1 ball

Double pointed needles and circular needles size. 3 and 3½ mm – US 2 or 3 and 4 – UK/Canadian 11 and 10 or 9

Gauge: 23 sts = approx. 10 cm (4 in) over St st using needles size 3½ mm. **Check your tension to ensure success.**

SWEATER

Using circular needle size 3 mm and grey yarn, cast on 208-244-256 sts. Work back and forth 3cm (1.2 in) in K1,P1 rib (same for all sizes). Change to needles size 3½ mm. K 1 rnd, adjusting evenly across the rnd the number of sts to be 216-252-264 st. Cont working in rnds in patt I as charted. After that cont rep patt II as charted until work measures approx. 47-48-50 cm (18.5-18.9-19.7 in) (end with the stripe as charted). Work patt III, and after that rep patt IIII until the end. **When** work measures 60-61-62 cm (23.6-24-24.4 in), place markers each side, 109-127-133 sts for front and 107-125-131 sts for back. Bind off mid front 19-21-23 sts for neck edge. Cont working back and forth, and bind off at each edge every 2nd row 3x2 sts (same for all sizes), and then 4-5-5x1 st. When work measures the given length, bind off sts.

Sleeves

Using dpn size 3 mm and grey yarn, cast on 58-60-62 sts. Work 3 cm (1.2 in) in K1,P1 rib (same for all sizes). Change to dpn size 3½ mm. Work in patt I as charted, and after that cont rep patt II as charted. P last st every rnd. Inc 1 st both sides of the p-st approx. every 1½ cm (0.6 in) (same for all sizes) until you have 110-116-120 sts on a rnd. When work measures 36-37-38 cm (14.2-14.6-15 in) (finish patt II as charted). Work patt III, and after that rep patt IIII until the end. Turn work inside out, and work 2cm (0.8 in) in St st. Bind off rather loosely. Work same for the other sleeve.

Finishing


Mark the armholes (approx. 24-25-26 cm (9.4-9.8-10.2 in) on each side, or take the measurement from the sleeve top. Sew 2 machine seams round both armholes, and clip open between the seams.. Sew shoulder seams.

Neck band: Using short circular needle size 3 mm and grey yarn, pick or knit up around the neck edge approx. 108-114-118 sts. Work in rnds approx. 8 cm (3.1 in) in K1,P1 rib. Bind off rather loosely. Fold neck band in double and sew on WS.

Hood: Using needles size 3½ mm and grey yarn, cast on 159 sts. Work back and forth 3 cm (1.2 in) in K1,P1 rib. K 1 row = WS (= folding edge) + 3 cm (1.2 in) in rib. Cont working back and forth in St st and patt III (check from mid st where to beg patt). Bind

off 1 st at each edge every 4th row altog. 8 times. When patt III is ready, cont rep patt IIII until the end. When work measures approx. 30 cm (11.8 in), measured from the folding edge, bind off or slip sts on holder. Fold front edge in double and sew on WS. Fold the hood in double and join mid back seam. Sew the hood inside the neck band, beg from mid back (don't sew the short edges of the folding edge to the neck edge, as you need to thread a cord into it later on).

Sew on the sleeves, and sew the seam allowance to cover the seam. Twist a cord using grey yarn, and thread it into the folding edge of the hood.



Viking Alpaca Sport

Sweater

1106-7

Size	S	M	L	XL
Chest	89	96	104	113 cm
	35	38.8	38	44.5 in
Length	68	69	70	71 cm
	26.8	27.2	27.6	28 in
Sleeve length	53	54	55	55 cm
	20.9	21.3	21.7	21.7 in
Neck	20	20	21	21 cm
	7.9	7.9	8.3	8.3 in
Sleeve width	21	22	23	24 cm
	8.3	8.7	9.1	9.4 in

ALTERNATIVE YARN: Viking Alpaca Sport (30% alpaca, 40% merinowool, 30% nylon), Viking Sportsgarn (100% wool), Viking Superwash (100% wool, superwash), Viking Sportsragg (60% wool, 20% nylon, 20% acrylic), 50 g ball

Dark Grey, 615 15 16 16 17 balls

Double pointed needles and circular needle size 3 and 3 ½ mm – US 2 or 3 and 4 – UK/Canadian 11 and 10 or 9

Gauge: 23 sts = approx. 10 cm (4 in) over St st using needles size 3 ½ mm. **Check your gauge to ensure success.**

SWEATER

Using needles size 3 mm, cast on 192-200-220-240 sts. Work in rnds approx. 5-6-7-7cm (2-2.4-2.8-2.8 in) K2,P2 rib. Change to needles size 3 ½ mm. K 1 rnd, inc evenly across the rnd 8-20-20-20 sts = 200-220-240-260 sts. Place markers each side, 98-108-118-128 sts for front and 102-112-122-132 sts for back. Work in patt as charted until work measures approx. 47 cm (18.5 in) (same for all sizes). Divide work in two, and finish back and front separately.

Back

Cont working back and forth in patt until armhole measures approx. 21-22-23-24 cm (8.3-8.7-9.1-9.4 in). Bind off.

Front

Work same as for back. When work measures approx. 5-6-6-6-cm (2-2.4-2.4-2.4 in), place a marker mid front, 49-54-59-64 sts for each side. Work each side separately. Beg with right front. Dec for V-neck as foll: K1, K2togtbl beg of every 2nd RS. When armhole measures approx. 21-22-23-24 cm (8.3-8.7-9.1-9.4 in) = approx. 28-33-37-41 sts rem, bind off sts. Work same for left front, rev all shaping.

Sleeves

Using needles size 3 mm, cast on 44-46-48-50 sts. Work in rib, same as for body. Place a marker beg of the rnd (= mid under arm). Change to needles size 3 ½ mm. K 1 rnd, and add evenly across the rnd 16-14-12-10 sts = 60 sts (same for all sizes). Cont working in patt as charted (check from mid st where to beg patt). Inc 1 st both sides of the marker approx. every 2 ½ -2-2-1½ cm 1-0.8-0.8-0.6 (in) until you have altog. 96-102-106-110 sts on a rnd. When work measures approx. 53-54-55-55 cm (20.9-21.3-21.7-21.7 in), bind off rather loosely.

Finishing

Sew shoulder seams.


Neck band

Beg mid back, using needles size 3 mm, pick or knit up around neck edge approx. 134-134-138-142 sts. Work 1 rnd in K2,P2. Place a marker mid front. Work approx. 4 cm (1.6 in) in rib (same for all sizes), **and** dec 1 st both sides of the marker each

rnd, before the marker: K2togtbl; after the marker: K2tog. Bind off in rib.

Sew on sleeves.

Weave in all ends on WS.



☐ = K on RS, P on WS

▣ = P on RS, K on WS

Viking Alpaca Sport

Sweater

1106-8

Size:	S	M	L	XL
Bust:	89	94	104	110 cm
	35	37	41	43.3 in
Length:	66	67	68	70 cm
	26	26.4	26.8	27.6 in
Sleeve length:	47	48	49	50 cm
	18.5	18.9	19.3	19.7 in

ALTERNATIVE YARN: Viking Alpaca Sport (40% wool, 30% alpaca, 30% nylon), Viking Sportsgarn (100% wool), Viking Superwash (100% wool, superwash), Viking Sportsragg (60% wool, 20% acrylic, 20% nylon), 50 g ball

White, 600	10	11	12	13 balls
Multiclr Grey, 612	1	1	1	1 ball
Black, 603	2	2	2	2 balls

Double pointed needles and circular needle size 3 and 3½ mm – US 2 or 3 and 4 – UK/Canadian 11 and 10 or 9

Gauge: 23 sts = approx. 10 cm (4 in) over St st using needles size 3½ mm. **Check your gauge to ensure success.**

Body

Using circular needle size 3 mm and black yarn, cast on 204-216-240-252 sts. Work 4 rnds in K1,P1 rib. Change to needles size 3½ mm. Cont working in rnds in St st and patt I as charted. Cont working in St st and white yarn until work measures approx. 44-45-45-48 cm (17.3-17.7-17.7-18.9 in). Place markers each side, 103-109-121-127 sts for front, and 101-107-119-125 sts for back. Bind off 12 sts each side (6 sts both sides of the markers). Put work aside, and knit the sleeves.


Sleeves

Using dpn size 3 mm and black yarn, cast on 44-48-48-52 sts. Work in rib, same as for body. Change to dpn size 3½ mm. K 1 rnd, adjusting evenly across the rnd the number of sts to be 67-73-75-77 sts. Cont working in St st and patt I as charted. Cont working in St st and white yarn. Place a marker mid under arm. Inc 1 st each side of the marker approx. every 2½-2½-2½-3 cm (2-2-2-1.2 in) until you have 101-105-109-109 sts on a rnd. When work measures the given length (or desired length), bind off 12 sts mid under arm (6 sts both sides of the marker). Put the work aside, and knit the other sleeve.


Yoke: Slip all sts on same circular needle with sleeves over the bound-off sts for armholes = 358-378-410-422 sts. Beg from back, adjusting evenly across the 1st rnd the number of sts to be 360-372-408-420 sts. Work 2-4-6-6 rnds in St st using white yarn. Cont working in patt II as charted = 120-124-136-140 sts rem. Dec evenly across the next rnd the number of sts to be 116-120-120-124 sts. Change to needles size 3 mm, and work in K1,P1 rib and black yarn. When neck band measures approx. 4 cm (1.6 in), bind off in rib.

Weave in all ends on WS, and sew underarm seams.

PATTERN II



PATTERN I



Viking Alpaca Sport

Bolero

1106-9

Size:	S	M/L
Bust: approx.	95	102 cm
	37.4	40.2 in
Length, mid back:	42	45 cm
	16.5	17.7 in
Length: approx.	52	54 cm
	20.5	21.3 in

ALTERNATIVE YARN: Viking Alpaca Sport (40% merino wool, 30% alpaca, 30% nylon), Viking Sportsgarn (100% wool), Viking Superwash (100% wool, superwash), Viking Sportsragg (60% wool, 20% acrylic, 20% nylon), 50 g ball

Grey, 615	8	9 balls
White, 602	1	1 ball

Pair of knitting needles, circular needle and double pointed needles size 3 and 3½ mm – US 2 or 3 and 4 – UK/Canadian 11 and 10 or 9

Gauge: 23 sts = approx. 10 cm (4 in) over St st using needles size 3½ mm. **Check your tension to ensure success.**

Back

Using needles size 3½mm, cast on 61-71 sts. Work back and forth in St st (K 1st and last st each row = selvage st). Cast on at each edge every 2nd row 1x5, 1x4, 1x3, 2x2 and 2x1 st = 97-107 sts. When work measures approx. 6 cm (2.4 in), inc 1 st at each edge inside selvage sts approx. every 2 cm (0.8 in) altog 6 times = 109-119 sts on a row. When work measures approx. 13-14 cm (5.1-5.5 in), work in patt as charted. Check from mid st where to beg patt. When work measures approx. 20-22 cm (7.9-8.7 in), bind off at each edge for armholes every 2nd row 1x4, 1x3, 2x2 and 3x1st = 81-91 sts rem. When the patt is ready, cont working in St st and grey yarn. When work measures approx. 40-43 cm (15.7-16.9 in), and armhole measures approx. 20-21 cm (7.9-8.3 in), bind off mid 37-41 sts for neck edge. Finish each side separately. Bind off at neck edge every 2nd row 3-3x1 st = 19-22 sts rem for shoulder. When work measures 42-45 cm (16.5-17.7 in), and armhole measures approx. 22-23 cm (8.7-9.1 in), bind off. Work same for the other side, rev all shaping.

Left front

Using needles size 3½ mm, cast on 30-36 sts. Work in St st (K 1st and last st each row = selvage st). Cast on at front edge every 2nd row 1x3, 2x2 and 2x1 st, and then every 4th row 4x1st. **Same time:** Inc 1 st at the side every 2 cm (0.8 in) altog. 6 times = 49-55 sts. When work measures approx. 13-14 cm (5.1-5.5 in) **(Note! Start working in patt same as for back).** Check from mid st where to beg patt. Bind off for armhole same as for back. When work measures approx. 27-30 cm (10.6-11.8 in), bind off at neck edge every 2nd row 8-11x1 and 4x2 sts = 19-22 sts. When work measures approx. 34-37 cm (13.4-14.6 in), bind off.

Work same for right front, rev all shaping.

Finishing: Sew shoulder seams and side seams.

Right edge: Beg mid back. Using needles size 3 mm and grey yarn, knit up approx. 165 sts along neck edge and front edge. Work back and forth in K3,P3 rib (end with K3). Work 6 rows. Next row: Inc 1 st in each k-stripe and p-stripe. Work 12 rows in K4,P4 rib. Inc again 1 st in each k-stripe and p-stripe. Work 12 rows in K5,P5 rib. Rep inc. Work 1 row in K6,P6 rib. Bind off in rib.


Work same for left edge.

Back: Pick or knit up approx. 150 sts along the lower edge. Work same as for front edge.

Sew side seams and mid back seam (remember that collar will fold on RS)

Weave in ends on WS.

Armhole edges: Using needles size 3 mm and grey yarn, pick or knit up approx. 96-104 sts around the armhole. Work approx. 5 cm (2 in) in K4,P4 rib. Bind off in rib.



□ = grey
■ = white

Viking Alpaca Sport

Cardigan

1106-10

Size:	S	M	L	XL
Bust:	approx. 94	105	115	126 cm
	37	41.4	45.3	49.6 in
Length:	approx. 80	80	82	82 cm
	31.5	31.5	32.3	32.3 in
Sleeve length:	approx. 50	50	52	52 cm
	19.7	19.7	20.5	20.5 in

ALTERNATIVE YARN: Viking Alpaca Sport (40% wool, 30% alpaca, 30% nylon), Viking Sportsgarn (100% wool), Viking Superwash (100% wool, superwash), Viking Sportsragg (60% wool, 20% acrylic, 20% nylon), 50 g ball

Off-White, 602 balls	17	18	19	19
Beige, 607 balls	2	2	2	2
Brown, 618 ball	1	1	1	1

Circular needle and double pointed needles size 3 and 3½ mm – US 2 or 3 and 4 – UK/Canadian 11 and 10 or 9

Gauge: 23 sts = approx. 10cm (4 in) over St st using needles size 3½ mm. **Check your tension to ensure success.**

CARDIGAN

Using needles size 3 mm and off-white yarn, cast on 252-276-300-324 sts. Work back and forth 8 cm (3.1 in) K4,P4 rib. Slip first and last 16 sts on holder (= sts for front edges) = 220-244-268-292 sts rem. Change to needles size 3½ mm. Cont working back and forth in St st, adjusting evenly across 1st row the number of sts to be 217-241-265-289 sts. Place markers each side, 52-58-64-70 sts for each front, and 113-125-137-149 sts for back. When work measures approx. 52-52-53-53 cm (20.5-20.5-20.9-20.9 in), work patt I as charted, after that keep rep patt II until the end. When work measures approx. 60-60-61-60 cm (23.6-23.3-24-23.6in), finish back and fronts separately.

Back

Cont working back and forth in St st until work measures approx. 80-80-82-82 cm (31.5-31.5-32.3-32.3 in), and armhole measures approx. 20-20-21-22 cm (7.9-7.9-8.3-8.7 in). Bind off.

Right front

Work same as for back. When work measures approx. 72-72-74-74 cm (28.3-28.3-29.1-29.1 in), bind off first 15-16-17-17 sts for neck edge. Bind off at neck edge every 2nd row 1x 3, 1x 2 and 1x 1st. When work measures same as back, bind off.

Work same for left front, rev all shaping.

Sleeves

Using needles size 3 mm and off-white yarn, cast on 48-56-56-64 sts. Work in rnds 8 cm (in) in K4,P4 rib. Change to needles size 3½ mm. K 1 rnd, adjusting evenly across the rnd the number of sts to be 71-71-75-75 sts. Cont working in rnds in St st. Place a marker mid under arm. Inc 1 st both sides of the marker approx. every 3½-3½-4-3 cm (1.4-1.4-1.6-1.2 in) until you have 93-93-97-101 sts on a rnd. When work measures approx. 20 cm (7.9 in) (same for all sizes), work patt I as charted. After patt I is ready, cont working in St st and off-white yarn. When work

measures the given length (or desired length), bind off. Work same for the other sleeve.

Right front edge

Slip front edge sts on needles size 3 mm. Work in rib and off-white yarn. When work measures until neck edge, slip sts on holder. Sew front edge to front piece. Place markers for altog. 7 buttonholes. Work same for left front edge, but with buttonholes. Buttonhole: Bind off 4 mid sts. Next row: Cast on 4 new sts over the bound-off sts.


Collar: Slip front edge sts on needles size 3 mm. Using off-white yarn, pick or knit up approx. 108-108-116-116 sts around neck edge = altog. 140-140-148-148 sts (incl. front edges). Work back and forth in rib. Place a marker mid back. Inc 1 st both sides of the marker every 4th row until collar measures approx. 15 cm (in). Work inc sts in rib. Bind off rather loosely in rib.

Finishing: Sew on sleeves. Weave in all ends on WS. Using dark brown yarn sew loose sts over the p-rows on the body and sleeves (see photo).

BELT

Using needles size 3½ mm and off-white yarn, cast on 20 sts. Work back and forth approx. 180cm (70.9 in) in K4,P4 rib. Bind off.

Loops for belt: Using needles size 2½ mm and off-white yarn, cast on 20 sts. Work back and forth 7 cm (2.8 in) in St st. Bind off. Sew loops on each side.



- = off-white: K on RS, P on WS
- ◻ = off-white: P on RS, K on WS
- = beige
- = brown

Viking Alpaca Sport

Sweater

1106-11

Size:	XS	S	M	L	XL
Bust: approx.	87	94	99	104	115 cm
	34.3	37	39	41	45.3 in
Length: approx.	65	67	67	69	69 cm
	25.6	26.4	26.4	27.2	27.2 in
Sleeve length: approx.	45	46	47	48	48 cm
	17.7	18.1	18.5	18.9	18.9 in

ALTERNATIVE YARN: Viking Alpaca Sport (40% merino wool, 30% alpaca, 30% nylon), Viking Sportsgarn (100% wool), Viking Superwash (100% wool, superwash), Viking Sportsragg (60% wool, 20% acrylic, 20% nylon), 50 g ball

White, 602	6	6	7	7	8 balls
Brown, 618	5	5	5	6	7 balls
Grey, 615	2	2	2	2	2 balls
Beige, 607	1	1	1	1	1 ball

Circular needle and double pointed needles size 3 and 3½ mm – US 2 or 3 and 4 - UK/Canadian 11 and 10 or 9

Gauge: 23 sts = approx. 10 cm (4 in) over St st using needles size 3½ mm. **Check your gauge to ensure success.**

SWEATER

Using needles size 3 mm and white yarn, cast on 232-240-256-264-288 sts. Work in rnds 7 cm (2.8 in) in K4,P4 rib. Change to needles size 3½ mm. K 1 rnd, adjusting evenly across the rnd the number of sts to be 204-216-228-240-264 sts. Work in rnds in St st until work measures approx. 16-17-17-18-18 cm (6.3-6.7-6.7-7.1-7.1 in). Work patt I as charted. Cont working in St st and brown yarn. Place markers each side, 103-109-115-121-133 sts for front, and 101-107-113-119-131 sts for back. When work measures approx. 40-41-41-42-42 cm (15.7-16.1-16.1-16.5-16.5 in), work patt as charted. Bind off on the last rnd of the patt 12 sts each side (6 sts both sides of the markers). Put work aside, and knit the sleeves.

Sleeves

Using needles size 3 mm and white yarn, cast on 64-64-72-72-72 sts. Work in rib same as for body. K 1 rnd, adjusting evenly across the rnd to be 59-59-67-67-67 sts. Cont working in St st until work measures approx. 15-15-16-16-17 cm (5.9-5.9-6.3-6.3-6.7 in). Work patt I as charted (check from mid st where to beg patt). After patt I is ready cont working in St st and brown yarn. Place a marker mid under arm. Inc 1 st each side of the marker approx. every 2-2-2½-2-2 cm (0.8-0.8-1-0.8-0.8 in) until you have 93-97-97-101-101 sts on a rnd. When work measures approx. 5 cm (2 in), or desired length, work patt II. Bind off on the last rnd of the patt 12 sts mid under arm (= 6 sts both sides of the marker). Slip sts on holder, and work same for the other sleeve.

Yoke: Slip all sts on same circular needle, with sleeves over the bound-off sts for armholes = 342-362-374-394-418 sts. K 1 rnd, adjusting evenly across the rnd the number of sts to be 336-360-360-384-408 sts. Work patt III and dec as charted = 280-300-300-320-340 sts rem. Cont working in white yarn. 1st rnd: Dec evenly across the rnd the number of sts to be 272-296-296-312-336 sts. Cont working in St st, and dec as foll: *K6, K2tog*, rep *-* across the rnd. Rep dec every 4th-4th-5th-5th-5th times = 102-111-111-117-126 sts rem. Change to needles size 3 mm. K 1 rnd,

adjusting evenly across the rnd the number of sts to be 100-108-108-112-120 sts. Work 7 cm (2.8 in) in K2,P2 rib in white yarn. Bind off. Sew underarm seams. Weave in all ends on WS.

